







The Right Choice Quality, Service, Support and Value

WE'RE PASSIONATE ABOUT CUSTOMER SATISFACTION!

The relationship with our customers is of the utmost importance to us. Alsco's Customer service team has unparalleled experience and is committed to providing you with the answers you need. Our representatives are dedicated to your business and available via phone, fax and email from 8 am to 5 pm Eastern time. We are equipped to handle all your inquiries, order requests and provide the follow-up you deserve. Your satisfaction matters to us.

When it comes to growing your business, we support you with industry and technical knowledge. We offer the tools you need to assist you in making the sale. Ask us about our full line of marketing support materials, product samples, literature, specification sheets and warranties. We want to ensure your success.

At ALSCO® we listen to our customers and grow with our distribution partners as we align and expand our product offering throughout North America to provide the aluminum and steel building products you need on time. We are committed to our distributors, building contractors and ultimately the homeowners to be a consistent, reliable source of superior quality building products.

IMPECCABLE PRODUCT

- Superior quality control
- Exceptional formability
- · Easy to clean
- · Virtually maintenance free
- · Right product mix

UNPARALLELED SERVICE

- Dedicated customer service
- Consistent lead times
- On time & in full delivery
- Industry leading warranty
- A partner to help you grow



PERFECT TRIM™ PLUS A Beautiful Finish To Any Exterior

At ALSCO® we believe that in order to create exterior beauty on a home you need a collection of products that are functional, stylish and provide options in today's most popular colors.

That is why our Perfect Trim™ Plus products Soffit,
Fascia, Drip Edge, Trim Coil and Rain Carrying Systems
come in matching colors: all the components you
need to trim any home beautifully.

Perfect Trim™ Plus components are finished with our advanced Dymalar® 2000 coating to ensure their color will match perfectly now and for years to come, withstanding the harshest elements for a lifetime of virtually maintenance-free beauty

The Perfect Trim™ Plus symbol in this product catalog indicates that the color or palette is available in the complete collection of trim products previously listed. The accompanying three character color code is the key to using the Perfect Trim™ Plus system: Products with the same color code will match in color, even if the name differs.

- * TWK-30° White and TWL-80° White used for gutter products are not perfect matches to 280 white products
- * See pages 13-15 for additional Smooth and PVC trim coil color matches in our Color Select™ trim coil line

PERFECT TRIM™ PLUS Color Palette

PT+ Available Products Include — Soffit / Fascia / Drip Edge / Trim Coil / Rain Carrying Systems



Colors shown are approximate. Colors may look different on a house compared to print. Please visit your local distributor to see colors in person.



TRIM COIL

When It comes To Choosing Between Beauty and Protection, the Choice Is Easy. **Get both with ALSCO® Trim Coil.**

Dymalar® 2000

Dymalar° 2000

Smooth

Durable Finish



Perfect Trim PLUS Over 350 Industry Colors We combine 3105 aluminum alloy with our exclusive Dymalar® 2000 finish to create easy-to-form, mark and abrasion-resistant trim coil. It's engineered to withstand the harshest elements for a lifetime of virtually maintenance-free beauty.

PVC



Scratch Resistant Surface



Brushed, Low Gloss Texture



Strong Enough for Commercial Use DuraTex™ trim coil features a low-gloss, brushed surface texture to match virtually any siding, including many leading brands like Mastic, Variform, James Hardie, Royal, and more.

Color Select[™]



Match Any Siding, Including Leading Brands Dymalar° 2000

PVC

Dymalar® 2000 or PVC Coating Options, For The Look and Feel You Want




Our revolutionary Color Select trim coil is available in over 350 colors.



WINDOW MANUFACTURER COLORS

ALSCO DuraTex™ trim coil matches leading window manufacturers Marvin, Andersen, Pella and more.





TRIM COIL



Width (in)	14
Length (ft)	50
Cartons Per Pallet	48




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
C14	0.019	15	200 Black ## 202 Royal Brown ## 280 White ##

PT+ & Duratex™ Trim Coil

Width (in)	24
Length (ft)	50
Cartons Per Pallet	32

DYMALAR PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)		Color Palette
C24	0.019	26		PT+
			034 Linen 050 Beige	253 Terratone 280 White



60 Carmel	685 Savannah Wicker
067 Jefferson Tan	752 Pebblestone Clay
200 Black	902 Cobblestone
202 Royal Brown	D26 Charcoal Gray
204 Grecian Green	TAD Almond
249 Bronze	TMK Musket Brown


315 Barn Red

055 Gray

DURATEX	Nominal	Weight Per	Color
PRODUCT CODE:	Thickness (in)	Carton (lbs)	Palette
CTP24	0.019	26	F

Heavy Duty Trim Coil


Width (in)	24
Length (ft)	50
Cartons Per Pallet	32



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
C24H	0.024	33	034 Linen PP 200 Black PP 202 Royal Brown PP 249 Bronze PP 250 Musket Brown PP 253 Terratone PP 280 White PP

Color Select™ Smooth & PVC with Dymalar® 2000

Width (in)	24
Length (ft)	50
Cartons Per Pallet	32



PRODUCT	Nominal	Weight Per	Color
(Smooth) CODE:	Thickness (in)	Carton (lbs)	Palette
T24	-	25	*
PRODUCT	Nominal	Weight Per	Color
(PVC) CODE:	Thickness (in)	Carton (lbs)	Palette
T24PVC	_	27	*

All Trim Coil is painted over **280** White. *See pages 14-15 for available Color Select™ colors.



COLOR SELECT TRIM COIL Wrap Your Projects Beautifully



Check Our Website

To view the latest Color Select™ colors please visit www.alscometals.com.



Formulated to meet the demands of field forming,

Color Select™ aluminum trim coil installs crisp and flat.


Its rugged yet flexible finish protects against cracking,
chipping and flaking while offering exceptional scratch
resistance. With Color Select™, your projects are
protected from the harshest elements for a lifetime of
virtually maintenance free beauty.

Offered in wide range of colors to match popular siding manufacturers like Certainteed, Royal, PlyGem, Exterior Portfolio, James Hardie, Stylecrest and more!



COLOR SELECT™

TRIM COIL COLOR MATCHES



Exterior Portfolio	Smooth	PVC
Aspen White ##	280	878
Bone PT+	902	902
Canyon	445	445
Carbon	447	447
Clay	E05	E06
Country Beige	509	809
Cypress	255	R22*
Driftwood	D14	C30
Espresso	C21	C20
Graphite	22	22
Greystone	61	61
Honey Oak	254	N54
Indigo	443	443
Lighthouse Red	C19	C18
Metropolitan Gray	C11	C10
Mocha	161	928
Musket	309	909
Nantucket	C17	C16
Oceanside	449	449
Olive	D11	C27
Pearl	47	47
Peppercorn	D08	C24
Polaris	D07	C23
Regatta	C15	C14
Rye	C13	C12
Saddle	073	R50

Exterior Portfolio	Smooth	PVC
(cont)		
Slate	907	907
Wheat	B8	В9
James Hardie	Smooth	PVC
Aged Pewter	H99	N/A
Arctic White	904	904
Autumn Tan	912	912
Boothbay Blue	910	910
Cobblestone PT+	902	902
Deep Ocean	708	N/A
Evening Blue	907	907
Gray Slate	977	N77
Heathered Moss	955	N55
Iron Gray	919	919
Khaki Brown	903	903
Light Mist	361	N/A
Monterey Taupe	362	N/A
Mountain Sage	908	908
Navajo Beige	905	905
Night Gray	707	N/A
Pearl Gray	921	922
Rich Espresso	005	N/A
Sail Cloth	906	906
Sandstone Beige	79	N/A
Timber Bark	969	C54
Woodstock Brown	900	900

KP	Smooth	PVC
Almond	713	N32
Barn Red	414	N92
Bisque	54	827
Camel	912	912
Cameo	47	N/A
Canvas	177	981
Canyon Red	692	N/A
Castlemore	T41	V41
Classic Linen	789	904
Clay	D24	N/A
Cobblestone Wicker	45	VSA
Dusk	D09	C25
Graphite	C11	C10
Heritage Gray	56	856
Java Brown	309	N/A
Khaki	714	805
Mystic Blue	D02	D01
Ocean	680	N80
Prairie Wheat	D13	C29
Putty	TAD	VAD
Sage	255	R22
Sandstone	THO	858
Slate	476	B51
Smoke		805
Suede	689	60
Tan	D23	N/A
White PF	280	878

Mastic	Smooth	PVC
Almond	745	C36
American Walnut	D39	C52
Aspen Grey	658	857
Autumn Harvest	101	N/A
Black PT+	200	4
Brandy Wood	169	N/A
Brunswick	D32	C45
Cameo	47	47
Cape Cod Grey	D38	C51
Charcoal Gray PTF	D26	C39
Cinnabar	414	R53
Civic Brownstone	D32	C45
Classic Cream	38	38
Corn Silk	C02	C01
Dark Bronze PT+	249	15
Deep Cavern	447	447
Deep Granite	409	63
Desert Sand PT+	902	902
English Wedgewood	910	910
Everest	717	817
Evergreen	45	806
Harbor Grey	682	N82
Iron	D08	C24
Jefferson Tan 🎮	067	N95
Lakeshore Fern	E07	E08
Linen	TUU	VUU
Misty Shadow	22	22
Montana Suede	445	445
Musket Brown	250	909
Natural Cedar	628	N60
Natural Slate	907	907
Newport Bay	C15	C14
Pebblestone Clay PT+	752	N95
Portsmouth Blue	680	N80
Quiet Willow	411	V62
Royal Brown PT+	202	889
Rugged Canyon 🚧	60	60
Sage	D25	C38
Sandtone	750	R50
Scottish Thistle	TCS	VCS
Silver Grey	056	856
Terra Bronze PT+	253	9
Tuscan Olive	477	N/A
Victorian Gray PT+	055	855
Vintage Dublin	441	441 CE2
Vineyard Grove	D40	C53
Whispering Timber	969	N/A
White PF	280	878
Wicker	TSA	981
Window Almond	W15	N/A
Window Bronze PT+	249	N/A
Woodland Green	670	N/A

COLOR SELECT™

TRIM COIL COLOR MATCHES

ProVia	Smooth	PVC
Alabaster	713	827
Antique White	789	N84
Aspen	442	442
Birchwood 🚧	050	24
Camel	254	N54
Canyon	689	60
Chateau	750	852
Clay	714	N95
Cream	D13	851
Everest	TCS	VCS
Granite	409	N77
Gray	056	855
Linen PT+	034	904
Mocha	C07	C06
Mountain Berry	D17	C33
Nautica	767	R67
Nightfall	D28	C41
Pewter	476	B51
Prairie	D21	C35
Premium Blue	E01	E02
Pueblo	445	N22
Sage	255	N55
Sand	066	978
Sandalwood	509	999
Sea Slate	907	907
Sienna	D27	C40
Stone	D22	C37
Timberline	22	22
White PT+	280	878
Willow	D29	C42

ProVia Millwork	Smooth	PVC
Café Cream	24	24
Chateau	750	852
Cherry	D36	C49
Clay	169	448
Coal Black PT+	200	4
Forest Green	45	45
Geneva Blue	767	R67
Mountain Berry	D17	C33
Oak	D37	C50
Primrose Yellow	632	802
Rustic Bronze	D34	C47
Sandpiper Beige	79	79
Sandstone	D35	C48
Snowmist	904	904
Sterling Gray PT+	055	855
Tudor Brown 🚧	202	889

Royal	Smooth	PVC
Blue Gray	E01	E02
Brownstone	714	N95
Cocoa	444	444
Cypress	255	R22
Flagstone	D12	C28
Granite	22	22
Harvard Slate	174	874
Heather	040	040
Heritage Blue	D33	C46
Ironstone	447	447

Royal	Smooth	PVC
(cont)		
Linen PT+	034	859
Marine Blue	443	443
Midnight Surf	907	907
Musket Brown	309	909
Natural Cedar	446	446
Pebble Clay	E05	E06
Redwood	C19	C18
Rockslide	C11	C10
Sand	066	978
Shamrock	441	441
Soft Maple	TCK	N98
Sterling	D14	C30
Storm	449	449
Toasted Almond	445	445
Tree Moss	442	442
Urban Bronze	D06	C22
Vintage Cream	D13	C29
Walnut	689	60
Weathered Gray	448	448
Wedgewood	D31	C44
White PT+	280	878
Wicker	E03	E04

Stylecrest	Smooth	PVC
Artisan Clay	752	R52
Basket Beige	TSA	VSA
Blue Ridge		471
Canyon Brown	169	869
Coffee Bean		474
Classic Sand	50	879
Concord Green		812
Graphite Grey	174	874
Gray Flannel	T41	V41
Hampton Blue	680	N80
Harbor Stone	55	855
Heritage Red	692	N92
Java	689	N75
Keystone	374	V74
Meadow	722	R22
Mountain Pine		441
Musket Brown	309	909
Nutmeg	769	R69
Onyx		472
Pebble Clay	67	
Providence Yellow		N35
Seagrass	411	V62
Slate Blue	629	N29
Soft Willow	62	865
Summer Wheat	155	930
Sunny Maize	632	N32
Topaz		V17
Twilight	767	R67
Warm Sandalwood	509	809
White Birch	280	878
Woodland	473	

Variform	Smooth	PVC
Amber	C02	C01
Autumn Beige	795	978
Bayou	D02	D01
Briarwood 🚧	60	60
Century Brownstone	D30	C43
Classic Cream	38	38
Coastal Blue	C04	C03
Deep Brunswick	D32	C45
Delray Sand	051	N32
Dover White 🚧	280	878
Flint	476	B51
Georgian Gray	056	856
Hazelnut	C07	C06
Hearthstone	C09	C08
Heritage Linen	TUU	VUU
Irish Thistle	TCS	VCS
Iron/Urban Iron	D08	C24
Island Pearl 🎮	050	850
Mediterranean Palm	E07	E08
Natural Almond	745	879
Northern Oak	689	D05
Old Dublin	441	441
Pewter	63	63
Redwood	E09	E10
Rich Mocha 🎮	902	902
Sagebrook	411	V62
Sandtone	750	R50
Sandy Tan	TSA	981
Savannah Blue	475	B50
Sedona Red 🎮	315	315
Silver Mist	478	P91
Spanish Olive	477	N/A
Stone Mountain Clay	714	805
Teak	445	445
Twilight Shadow	22	B52
Wedgewood	910	910

Vytec	Smooth	PVC
Buttercream	683	851
Canyon Ridge	769	R69
Carolina Blue	42	N29
Castle Stone	105	874
Classic Gray	56	856
Forest	441	441
Grasslands	255	N55
Harbour	907	907
Lakeshore Blue	767	R67
Maplewood	155	N98
Natural Sand	45	981
Redwood	692	R53
Rustic Clay	714	805
Rustic Oak	169	869
Sand Drift	745	VAD
Sierra Brown	54	827
Smokestone	22	22
Smokey Steel	331	449
Spring Meadow	722	R22
Tundra Moss	TCS	VCS
Twilight Gray	476	B51
White	280	878

Aluminum Soffit and Fascia Enhance and Protect The Overhangs On A Home


Our soffit and fascia products complement a home's existing exterior appearance both in color and style, giving homes a beautifully finished look.

These fabricated products are offered in the Perfect Trim™ Plus color package that includes soffit, drip edge, roof moldings, trim coil and rain carrying systems. Properly installed soffit protects the investment in homes by ventilating the attic and eaves, thus eliminating excess moisture and heat that can damage your roof.


FEATURES & BENEFITS

- Proper soffit ventilation can save on heating and air conditioning costs
- Prevent mold, mildew, rot and poor indoor air quality
- Available in solid, center vent and full vent configuration
- Ensure your shingle warranty remains valid
- FL approved soffit
- Lifetime Limited Warranty


DOUBLE SIX PROFILES




SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ASVP12	0.019	60	N/A	PT+



VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ALVP12	0.019	60	14.09	PT+



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
AVBS12	0.017	56	N/A	202 Royal Brown ## 280 White ##



Cobblestone 🔊

Almond PT

Charcoal Gray 🔊

Musket Brown 🝘

VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
AVBL12	0.017	56	14.09	202 Royal Brown ## 280 White ##

PT+ Color Palette

Length Per Piece (ft)

Pieces Per Carton

Cartons Per Pallet


Squares

034 Linen 🔊 204 Grecian Green 📨 902 050 Beige PT 249 Bronze PTF D26 055 Gray 🕶 253 Terratone 🚧 TAD 60 Carmel 🔊 280 White PTF TMK Jefferson Tan 🙉 315 Barn Red 🔊 Black PTF 685 Savannah Wicker 🚧 Royal Brown Pro 752 Pebblestone Clay PTF

Reference page 54 to determine the proper amount of ventilation for soffit. All ALSCO® soffits have a CLASS A FIRE RATING (ASTM E84-01)




TRIPLE FOUR PROFILES




SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4S12	0.019	60	N/A	PT+

Triple 4" Soffit

12
16
30
1.92



CENTER VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4CV12	0.019	60	3.64	PT+




FULLY VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4V12	0.019	60	11.36	PT+



ValuBuilt Triple 4" Soffit

Length Per Piece (ft)	12
Pieces Per Carton	16
Cartons Per Pallet	30
Squares	1.92



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VBT4S12	0.017	56	N/A	G
CENTER VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	034 Linen PF 050 Beige PF 200 Black PF 249 Bronze PF
VBT4CV12	0.017	56	3.64	280 White ## 752 Pebblestone
FULLY VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Clay ## 902 Cobblestone ## D26 Charcoal Gray ##
VBT4V12	0.017	56	11.36	TAD Almond ## TMK Musket Brown ##



Meets the 2020 Florida Building Code, Approval # FL35145

PT+ Color Palette

PI+	Color Palette				
034	Linen PT+	202	Royal Brown 🚧	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PT+	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🚧
067	Jefferson Tan 🕶	280	White PTF	TAD	Almond PT+
200	Black 🚧	315	Barn Red 🕶	TMK	Musket Brown 🕶






QUAD FOUR PROFILES

Quad 4" Soffit-Solid

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
Q4S16	0.019	58	N / A	PT+



Meets the 2020 Florida Building Code, Approval # FL35145

Quad 4" Soffit-Center Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
Q4CV16	0.019	58	8.34	PT+



Meets the 2020 Florida Building Code, Approval # FL35145


Quad 4" Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
Q4V16	0.019	58	15.96	PT+



Meets the 2020 Florida Building Code, Approval # FL35145



+ Color Palette

rı+	Color Palelle				
034	Linen 🎮	202	Royal Brown 🕶	685	Savannah Wicker 🛺
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🕶
055	Gray PTF	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray
067	Jefferson Tan 🚧	280	White PTF	TAD	Almond PA
200	Black 🚧	315	Barn Red 瘫	TMK	Musket Brown 🕶

Note: All drawings are artist renderings and are not intended to depict actual wood grain texture of products or exact profile.

Reference page 54 to determine the proper amount of ventilation for soffit.

All ALSCO® soffits have a CLASS A FIRE RATING (ASTM E84-01)

QUAD FOUR / STEALTH PROFILES


Quad 4" Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ECNQ4V16	0.014	66	15.96	280 White P




Meets the 2020 Florida Building Code, Approval # FL35145



Quad 4" Stealth Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	10
Cartons Per Pallet	30
Squares	1.6



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
A-HV16	0.019	66	8	PT+



Meets the 2020 Florida Building Code, Approval # FL35145



- Intelligent design produces a smooth surface, free of visible venting
- Dynamic hidden vents promote continuous airflow
- Easy to handle panels with deep channels for perfect, secure installation

		lette

PI+	Color Palelle			
034	Linen PT+	202	Royal Brown 🕶	685
050	Beige 🚧	204	Grecian Green 🛲	752
055	Gray 🚧	249	Bronze PTF	902
60	Carmel 🚧	253	Terratone 🚧	D26
067	Jefferson Tan 🛺	280	White 🚧	TAD
200	Black 🚧	315	Barn Red 瘫	TMK

5	Savannah Wicker 🕶
2	Pebblestone Clay 🕶
2	Cobblestone 🚧
6	Charcoal Gray
D	Almond PTF
IK	Musket Brown 🕶

Note: All drawings are artist renderings and are not intended to depict actual wood grain texture of products or exact profile.

Reference page 54 to determine the proper amount of ventilation for soffit.

All ALSCO $^{\circ}$ soffits have a CLASS A FIRE RATING (ASTM E84-01)




FASCIA

SMOOTH / WOODGRAIN

Smooth Fascia

Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	50
Cartons Per Pallet (BASL10)	24
Lineal Feet	300


PRODUCT CODE:	X = Height	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BASL4	4"	0.024	46	
BASL6	5-3/4"	0.024	60	DT.
BASL8	7-3/4"	0.024	74	PT+
BASL10	9-3/4"	0.024	97	



Woodgrain Fascia

Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	50
Cartons Per Pallet (BASL10WG)	24
Lineal Feet	300

PRODUCT CODE:	X = Height	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BASL4WG	4"	0.024	46	
BASL6WG	5-3/4"	0.024	60	PT+
BASL8WG	7-3/4"	0.024	74	PI+
BASL10WG	9-3/4"	0.024	97	



PT+ Color Palette


ПŢ	CULUI I ALELLE				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker 🛲
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PT+	902	Cobblestone 🕶
60	Carmel PT+	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White 🚧	TAD	Almond PT+
200	Black PT+	315	Barn Red 🕶	TMK	Musket Brown 🕶



ACCESSORY PROFILES




Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	66
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
BWFJ38	0.019	19	PT+

3/8" F-Channel for T4/Q4 Soffit

Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	50
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
BFR38	0.019	38	PT+

1/2" J-Channel for Double 6" Soffit


Length Per Piece (ft)	12
Pieces Per Carton	25
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AWFJ12	0.019	19	PT+

1/2" F-Channel for Double 6" Soffit


Length Per Piece (ft)	12
Pieces Per Carton	25
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AFR119	0.019	38	PT+

1/2" Double Channel Runner


Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RDCR19	0.019	16	280 White ##

3/4" Wide Face J-Channel for Vinyl

Length Per Piece (ft)	12
Pieces Per Carton	25
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AWFJ34	0.019	22	280 White ##

PT+ Color Palette

	ootor rutette				
034	Linen 🚧	202	Royal Brown 🚧	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay Pr
055	Gray 🚧	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White PT+	TAD	Almond PTF
200	Black PTF	315	Barn Red 🕶	TMK	Musket Brown 🕶






MERIDI Vinyl Siding

Available in a wide range of rich colors, the deep cedar embossed woodgrain texture, and contemporary lowluster finish blend naturally to the architectural style of any home. MERIDIAN vinyl siding by ALSCO® provides a solid foundation for any home's exterior, creating a clean and vibrant look, while increasing a home's value with its proven durability. Maintenance is minimal and repainting is 100% unnecessary. Meridian is manufactured using a unique coloring process that fully penetrates the panel, eliminating worry about scratches or fading.

THE MERIDIAN DIFFERENCE

- Deep Cedar Embossed Woodgrain Texture
- · Contemporary Low-Luster Finish
- Advanced Insta-Lock System Ensures Panels Remain Firmly in Place
- Enhanced Thickness and Strength so Panels Remain Straight and True
- Secure-Lock Reinforced Nail-Hem withstands Gale-Force Winds
- Limited Lifetime Warranty

MERIDIAN Color Palette



280 White Cobblestone

Country Beige

17	Stone
714	Sierra
067	Jefferson Tan
174	Storm Gray
255	Cypress
	**

CLASSIC

PREMIUM			
767	Twilight		
689	Timber Blend		
374	Keystone		


	ELITE
253	Terratone
692	Richmond Red
680	Hampton Blue



MERIDIAN VINYL SIDING

40 FORTY .040 Thickness Double 4.5 inch Dutchlap

Length Per Piece (ft)	12' 1"
Pieces Per Carton	22
Cartons Per Pallet	16
Squares Per Carton	2




VJ-V040D45DL	0.040	83.99	STANDARD 280 280 White
PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette

33 Cobblestone CLASSIC

714 Sierra

42 FORTY .042 Thickness Double 4 inch


Length Per Piece (ft)	12' 6"
Pieces Per Carton	24
Cartons Per Pallet	20
Squares Per Carton	2



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette	
VJ-V042D4	0.042	92.55	STANDARD	
			CLASSIC Premium	

42 FORTY .042 Thickness Double 4.5 inch Dutchlap

Length Per Piece (ft)	12' 1"
Pieces Per Carton	22
Cartons Per Pallet	16
Squares Per Carton	2



VJ-V042D45DL	0.042	89.05	STANDARD CLASSIC
PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette

STANDARD

280 280 White33 Cobblestone509 Country Beige

CLASSIC

 17
 Stone

 714
 Sierra

 067
 Jefferson Tan

 174
 Storm Gray

 255
 Cypress

PREMIUM

767 Twilight 689 Timber Blend 374 Keystone **ELITE**

253 Terratone692 Richmond Red680 Hampton Blue




MERIDIAN VINYL SIDING

PREMIUM ELITE

44 FORTY .044 Thickness Double 4 inch


Length Per Piece (ft)	12' 6"
Pieces Per Carton	24
Cartons Per Pallet	20
Squares Per Carton	2

PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
VJ-V044D4	0.044	95.65	STANDARD CLASSIC



44 FORTY .044 Thickness Double 5 inch

12'
20
15
2



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
VJ-V044D5	0.044	91.17	STANDARD CLASSIC
			17 Stone 714 Sierra 067 Jefferson Tan
			PREMIUM 767 Twilight 374 Keystone

STANDARD

280 280 White33 Cobblestone509 Country Beige

CLASSIC 17 Stone

714 Sierra 067 Jefferson Tan 174 Storm Gray 255 Cypress **PREMIUM**

767 Twilight 689 Timber Blend 374 Keystone **ELITE**

253 Terratone692 Richmond Red680 Hampton Blue




ACCESSORIES //



MERIDIAN VINYL SIDING

5/8" J-Channel


Length Per Piece (ft)	12′6"
Pieces Per Carton	40
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V5/8J	47.21	STANDARD
		CLASSIC Premium
		ELITE

1-1/8" J-Channel


Length Per Piece (ft)	12′ 6"
Pieces Per Carton	24
Lineal Feet	300



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V11/8J	40.18	STANDARD CLASSIC PREMIUM ELITE

Finish Trim


Length Per Piece (ft)	12′6"
Pieces Per Carton	40
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
V-VUSM	40.72	STANDARD
		CLASSIC Premium
		ELITE

Double Utility Trim

Length Per Piece (ft)	12′6"
Pieces Per Carton	25
Lineal Feet	312.5



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-VDUSM	54.66	STANDARD CLASSIC PREMIUM ELITE

Inside Corner Post: 1-3/8" Face | 3/4" Receiver

Length Per Piece (ft)	10′
Pieces Per Carton	10
Lineal Feet	100



PRODUCT CODE:	Weight Per Carton (lbs)	STANDARD		
VE-VICP	21.20	STANDARD CLASSIC PREMIUM ELITE		

4" Outside Corner Post: 3/4" Receiver

Length Per Piece (ft)	12′
Pieces Per Carton	10
Lineal Feet	120





PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V4OCP	53.09	STANDARD CLASSIC PREMIUM
		ELITE

STANDARD

280 White 33 Cobblestone Country Beige

CLASSIC 17

Stone 714 Sierra 067 Jefferson Tan 174 Storm Gray Cypress

PREMIUM

Twilight 689 Timber Blend 374 Keystone

ELITE


253 Terratone 692 Richmond Red 680 Hampton Blue



MERIDIAN VINYL SOFFIT

10" Vinyl Soffit - Solid


•	
Length Per Piece (ft)	12′
Pieces Per Carton	20
Cartons Per Pallet	15
Squares	2



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V10.038SS	0.038	75.73	N/A	280 White
VA-V10.040SS	0.040	85.49	N/A	280 White

10" Vinyl Soffit - Fully Vented


Length Per Piece (ft)	12′
Pieces Per Carton	20
Cartons Per Pallet	15
Squares	2



VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V10.038FV	0.038	75.57	3.8	280 White
VA-V10.040FV	0.040	82.25	3.8	280 White

12" Vinyl Soffit - Solid


Length Per Piece (ft)	12′
Pieces Per Carton	16
Cartons Per Pallet	15
Squares	1.92



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V12SS	0.040	81.57	N/A	STANDARD
				CLASSIC PREMIUM FLITE

12" Vinyl Soffit - Fully Vented

Length Per Piece (ft)	12′
Pieces Per Carton	16
Cartons Per Pallet	15
Squares	1.92



VA-V12FV	0.040	80.11	4.0	STANDARD
VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette

PREMIUM ELITE

STANDARD

280 White

33 Cobblestone Country Beige **CLASSIC**

17

714

067

174

Stone Sierra

Jefferson Tan Storm Gray Cypress

PREMIUM

767 Twilight 689 Timber Blend 374 Keystone

ELITE


253 Terratone 692 Richmond Red 680 Hampton Blue



MERIDIAN VINYL ACCESSORIES

1/2" J-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	40
Cartons Per Pallet	
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VJ1/2	50.81	STANDARD
		CLASSIC
		PREMIUM
		ELITE

Frieze Runner - F-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VF1/2	23.22	STANDARD CLASSIC PREMIUM ELITE

5/8" T-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VT5/8	51	280 White

1/2" T-Channel (Vinyl)

Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VT1/2	48.73	280 White

STANDARD

280 280 White 33 Cobblestone

CobblestoneCountry Beige

CLASSIC

17 Stone 714 Sierra 067 Jefferson Tan

174 Storm Gray 255 Cypress


PREMIUM

767 Twilight 689 Timber Blend 374 Keystone

ELITE

253 Terratone692 Richmond Red680 Hampton Blue






ALUMINUM SIDING

8" Woodgrain Siding

Length Per Piece (ft)	12'6"
Pieces Per Carton	24
Cartons Per Pallet	24
Lineal Feet	300


PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
J-8HT	0.019	64	1 Snowmist 280 White



8" Smooth Siding

Length Per Piece (ft)	12'6"
Pieces Per Carton	24
Cartons Per Pallet	24
Lineal Feet	300


PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
J-8HS019	0.019	64	1 Snowmist



ALUMINUM SIDING ACCESSORIES

3/4" J Channel


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	36
Lineal Feet	300



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-E12	16	1 Snowmist 280 White

1-1/8" J Channel


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	36
Lineal Feet	300



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-E18	21	1 Snowmist 280 White

1" Woodgrain Outside Corner Post


Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-OCP1T	24	1 Snowmist 280 White

1" Smooth Outside Corner Post


Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-OCP1	24	1 Snowmist 280 White

Undersill Molding


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	40
Lineal Feet	300



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-USM	18	1 Snowmist 280 White

Individual Outside Corner

Length Per Piece (in)	8
Pieces Per Carton	100
Cartons Per Pallet	40




	PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
Smooth	E-IC	8	1 Snowmist
Woodgrain	E-ICT	8	280 White

STARTER STRIPS

Starter Strip

(for standard butt alum/vinyl)

,	
Length Per Piece (ft)	10
Pieces Per Carton	50
Cartons Per Pallet	36
Lineal Feet	500




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RASV	0.019	30	N/A

Starter Strip

(for narrow butt vinyl)


Length Per Piece (ft)	10
Pieces Per Carton	50
Cartons Per Pallet	36
Lineal Feet	500



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RSSAV5	0.019	29	N/A

Starter Strip (for wide butt vinyl)


10
50
36
500



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RSSAV	0.019	29	N/A

Steel Starter Strip - 3"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24



S-STEELSS3	54	N/A
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette

Steel Starter Strip - 4"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24






S-STEELSS4	Carton (lbs)	Palette N/A
J JILLLJJ4	07	IV/A

Steel Starter Strip - 2-1/4"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24





S-STEELSSV	43	N/A
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette






ROOF EDGES

OVERHANGING "F" DRIP EDGE

F Drip Edge 4.5"


10'
50
20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
D-ODESL	0.019	45	PT+
D-ODETSL	0.017	42	200 Black 777 202 Royal Brown 777 280 White 777

F Drip Edge 4.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM1	0.019	54	PT+
BRM1	0.017	52	200 Black ## 202 Royal Brown ##
			280 White 🕶

F Drip Edge 4.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
EVD4.5	0.019	47	200 Black ## 202 Royal Brown ##
			280 White ##

PT+ Color Palette


PI+	Color Palette				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🔊
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🚜
055	Gray PTF	249	Bronze PT+	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🛺
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond 🚧
200	Black PT+	315	Rarn Red PT+	TMK	Musket Brown PT

ROOF EDGES

OVERHANGING "F" DRIP EDGE

F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM18	0.019	48	PT+
BRM114	0.017	38	200 Black ## 202 Royal Brown ##
			280 White ##

F Drip Edge 5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE		Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
1.50DET44	110	0.017	46	PT+

F Drip Edge 5"


Length Per Piece (ft)	12'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
1.50DET4412	0.017	55	200 Black ## 202 Royal Brown ##
			280 White ##

F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ODE112	0.019	55	PT+
BRM112*	0.017	48	PT+

^{*} BRM112 features a 3/4" Nose.

PT+ Color Palette

FIT	CULUI FALELLE				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🕶
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond PTF
200	Black PT+	315	Barn Red 🚧	TMK	Musket Brown 🚧




ROOF EDGES



OVERHANGING "F" DRIP EDGE

F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
D-ODE	0.019	55	PT+

F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	42



Length Per Piece (ft)	12'
Pieces Per Carton	25
Cartons Per Pallet	42




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
1.750DET4410	0.017	48	PT+

2-3/4"	→	
1/2'	1-3/4"	
1/4"		

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette	
1.750DET4412	0.017	57	200 Black ## 202 Royal Brown ##	
			280 White ##	

F Drip Edge 5.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
BODE15	0.019	55	PT+

PT+ Color Palette


FIT	CULUI FALELLE				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay ?
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🕶
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🛺
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond PT+
200	Black PT+	315	Barn Red PT+	TMK	Musket Brown 🚧

ROOF EDGES //

OVERHANGING "F" DRIP EDGE

F Drip Edge 5.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette 200 Black
BODEXTL	0.017	49	202 Royal Brown 27

F Drip Edge 5.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BRM134	0.017	43	200 Black PTP 202 Royal Brown PTP
			280 White 🙉

F Drip Edge 6"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM22	0.019	61	PT+

F Drip Edge 8"

Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BRM6	0.017	43	200 Black ## 202 Royal Brown ##
			280 White 🚧

PT+ Color Palette

	ootor ratotto				
034	Linen 🚧	202	Royal Brown 🚧	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🚧
055	Gray 🎮	249	Bronze 🚧	902	Cobblestone 🕶
60	Carmel 🚧	253	Terratone PTF	D26	Charcoal Gray 🛺
067	Jefferson Tan 🚧	280	White PFF	TAD	Almond PT+
200	Black 🚧	315	Barn Red 瘫	TMK	Musket Brown 🕶




ROOF EDGES

OVERHANGING "C" DRIP EDGE

C Drip Edge 3"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM3	0.019	35	200 Black ## 202 Royal Brown ## 280 White ##
BRM3	0.017	33	200 Black ## 280 White ##

C Drip Edge 4"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM4	0.019	42	PT+

C Drip Edge 5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM5	0.019	52	200 Black PF 202 Royal Brown PF
			280 White ##

C Drip Edge 6"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM6	0.019	65	200 Black ## 202 Royal Brown ##
			280 White 274


CULUI	I atette i i T				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🎮
055	Gray PT+	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🕶
067	Jefferson Tan 🛺	280	White 🚧	TAD	Almond PTF
200	Black PT+	315	Barn Red PT	TMK	Musket Brown PT



ROOF EDGES //




Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-DC1	0.019	20	PT+

1-1/8" Aluminum Drip Cap

Length Per Piece (ft)	10'
Pieces Per Carton	50




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
E-DC11/8	0.019	30	PT+

1-1/2" Aluminum Drip Cap

Length Per Piece (ft)	10'
Pieces Per Carton	50






PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-DC11/2	0.019	30	PT+

1 1/2" Drip Cap

Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RADC15	0.019	30	PT+


COLO	Tutotto I I '				
034	Linen PT+	202	Royal Brown 🚧	685	Savannah Wicker 🛮
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel PTF	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White PTF	TAD	Almond PTF
200	Black PTF	315	Barn Red 🚧	TMK	Musket Brown 🕶



FIBER CEMENT / WALL FLASHING

Z Wall Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-3/8Z	0.019	15	200 Black ## 202 Royal Brown ## 253 Terratone ## 280 White ## TMK Musket Brown ##

Roof to Wall Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	10



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
E-RTW	0.024	19	200 Black ##
			202 Royal Brown PT 253 Terratone PT 280 White PT

COLOI	I diction in				
034	Linen 🚧	202	Royal Brown 🚧	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White PTF	TAD	Almond PTF
200	Black PT+	315	Barn Red 🚧	TMK	Musket Brown 🚧






DECK & BRICK FLASING

1-1/2" Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ADF112	.019	43	200 Black <i>PF</i> 202 Royal Brown <i>PF</i>
			253 Terratone ## 280 White ## 752 Pebblestone Clay ## TMK Musket Brown ##

1-5/8" Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
ADF158	.019	25	200 Black PP 202 Royal Brown PP 253 Terratone PP 280 White PP 752 Pebblestone Clay PP TMK Musket Brown PP

Aluminum Brickledge and Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
K-BL	.019	80	200 Black PP 202 Royal Brown PP 253 Terratone PP 280 White PP 752 Pebblestone Clay PP TMK Musket Brown PP

Aluminum Andersen Brick Molding

Length Per Piece (ft)	12'
Pieces Per Carton	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
K-BS208	.019	31	PT+

0010	i i atotto i i ·				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker Pr
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🚜
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🚧
067	Jefferson Tan 🖛	280	White 🚧	TAD	Almond PTF
200	Black 🚧	315	Barn Red 🚧	TMK	Musket Brown 🚧




RAKE ANGLE

Rake Angle 1 3/8" Face

Length Per Piece (ft)	10'
Pieces Per Carton	50

Rake Angle 1 3/8" Face Light

Length Per Piece (ft)	10'
Pieces Per Carton	50




1-7/8"	
	1-3/8"

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM35	0.019	28	200 Black ## 280 White ##
C35	0.017	25	200 Black ## 280 White ##

FLASHING

Drip Apron 2" Face

Length Per Piece (ft)	10'
Pieces Per Carton	30
Cartons Per Pallet	20



EXTERIOR CLADDING


*PPM50 is available in 50 pieces per carton			200 Black ## 202 Royal Brown ##
RRM40	0.019	32	034 Linen ##
PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette

'RRM50 is available in 50 pieces per carto

in.	200 Black ## 200 Black ## 202 Royal Brown ## 253 Terratone ## 280 White ## 752 Pebblestone Clay ## D26 Charcoal Gray ## TAD Almond ## TMK Musical Brown ##	
	TMK Musket Brown 🕶	

Siders Edge

Length Per Piece (ft)	12'
Pieces Per Carton	25




- -1"-	-
	7 1"
	+
	1-3/4"
_	

PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM60	0.019	25	034 Linen PA 200 Black PA 202 Royal Brown PA 253 Terratone PA 280 White PA 752 Pebblestone Clay PA D26 Charcoal Grey PA TAD Almond PA TMK Musket Brown PA


Steel Dormer Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	10



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)
S-SDORMF10	0.019	63

ROOF FLASHING PROFILES



	PRODUCT CODE:	Width (in)	Length (in)	Nominal Thickness (ga. or in.)	Pieces Per Carton	Cartons Per Skid	Weight Per Carton (lbs) (Mill / Ptd)	Color Palette
	5X7AFS	5	7	-	500	-	21 / 21	Υ
Aluminum Flat Shingle	8X8AFS	8	8	-	100	-	37 / 37	Υ
	6X12AFS	6	12	-	500	80	42 / 42	Υ
Aluminum Chan Flachina	2.5X2.5X7ASF	2.5	7	-	500	-	20.5 / 20.5	Υ
Aluminum Step Flashing	4X4X8ASF	4	8	-	500	-	38 / 38	Υ
Galvanized Steel Flat Shingle	S5X7GFS	5	7	-	100	45	17 / 17	-
	S8X8GFS	8	8	26	100	45	22 / 22	-
	S6X12GFS	6	12	26	100	45	10 / 10	-
Galvanized Steel Step Flashing	S2.5X2.5X7GSF	2.5	7	26	100	45	10 / 10	Υ
	S4X4X8GSF	4	8	26	100	45	18 / 18	-

W Valley

Steel W Valley	S14X10WV	14	10	30	50	-	351 / 370	Υ
Heavy Gauge Steel W Valley	S14X10WVH	14	10	28	50	-	420 / 442	Υ
Steel W Valley	S18X10WV	18	10	30	50	-	439 / 463	Υ
Heavy Gauge Steel W Valley	S18X10WVH	18	10	28	50	-	525 / 555	Υ
Steel W Valley	S20X10WV	20	10	30	50	-	483 / 509	Υ
Heavy Gauge Steel W Valley	S20X10WVH	20	10	28	50	-	580 / 6 12	Υ
Steel W Valley	S22X10WV	22	10	30	50	-	526 / 555	Υ
Heavy Gauge Steel W Valley	S22X10WVH	22	10	28	50	-	633 / 669	Υ
Steel W Valley	S24X10WV	24	10	30	50	-	570 / 602	Υ
Heavy Gauge Steel W Valley	S24X10WVH	24	10	28	50	-	686 / 725	Υ

Color Palette Y

Mill / Galvanized

200 Black ##
202 Royal Brown ##

253 Terratone ##
 280 White ##

Note: All drawings are artist renderings and are not intended to depict actual wood grain texture of products or exact profile.



ROLL VALLEY

	PRODUCT CODE:	Width (in)	Length (ft)	Nominal Thickness (ga. or in.)	Cartons Per Skid	Weight Per Carton (lbs)	Color Palette
Aluminum Roll Valley	10X50RV	10	50	.012	75	7	Mill
Aluminum Roll Valley	10X25RV	10	25	.012	75	4	Mill
Aluminum Roll Valley	14X50RV	14	50	.012	50	10	Mill
Aluminum Roll Valley	14X25RV	14	25	.012	50	5	Mill
Aluminum Roll Valley	18X50RV	18	50	.012	50	13	Mill
Aluminum Roll Valley	18X25RV	18	25	.012	50	7	Mill
Aluminum Roll Valley	20X50RV	20	50	.012	25	14	Mill
Aluminum Roll Valley	20X25RV	20	25	.012	25	8	Mill
Aluminum Roll Valley	24X50RV	24	50	.012	25	17	Mill
Aluminum Roll Valley	24X25RV	24	25	.012	25	9	Mill
Steel Roll Valley	S6X50RV	6	50	28	100	13	Gal.
Steel Roll Valley	S8X50RV	8	50	28	100	18	Gal.
Steel Roll Valley	S10X50RV	10	50	28	75	22	Gal.
Steel Roll Valley	S10X25RV	10	25	28	75	11	Gal.
Steel Roll Valley	S12X50RV	12	50	28	100	25	Gal.
Steel Roll Valley	S14X50RV	14	50	28	50	30	Gal.
Steel Roll Valley	S16X50RV	16	50	28	75	33.5	Gal.
Steel Roll Valley	S18X50RV	18	50	28	50	40	Gal.
Steel Roll Valley	S20X50RV	20	50	28	25	44	Gal.
Steel Roll Valley - Builders	SB20X50RV	20	50	30	25	37	Gal.
Steel Roll Valley	S24X50RV	24	50	28	25	53	Gal.
Steel Roll Valley - Builders	SB24X50RV	24	50	30	25	44	Gal.
Steel Roll Valley	S28X50RV	28	50	28	25	59	Gal.
Steel Roll Valley	S30X50RV	30	50	28	25	63	Gal.
Steel Roll Valley	S36X50RV	36	50	28	25	75	Gal.


ALSCO® ALUMINUM RAINWARE ACCESSORIES

DESIGNED TO WORK TOGETHER

ALSCO® rainware products are designed to stand up to the harshest conditions, snow and ice. The system directs moisture away from the walls and the foundation. It is easy to install because it's engineered to fit right the first time.

ALSCO's® rainware products feature an exclusively formulated coating system called GUTTER-TUFF®. This superior coating system is designed for the demands of roll forming equipment while maintaining excellent formability and strength.

ALSCO® rainware components are part of the Perfect Trim™ Plus color palette that allows you to create a custom trim package that will match perfectly and coordinate with any style home.




- Designed and tested to ensure efficient water runoff and improved drainage
- Ultimate strength in low-maintenance high-quality, heavy-gauge aluminum
- Unique Gutter-Tuff® Coating System formulated for easy cleaning, color retention and mar resistance
- Industry Leading Warranty




BOX & STRIP MITER PROFILES




Inside Box Miter 5INM, 6INM



Outside Box Miter 50TM, 60TM




Inside Strip Miter 5ISM, 6ISM



Outside Strip Miter 50SM, 60SM



Inside Bay Strip Miter 5BIS, 6BIS



Outside Bay Strip Miter 5BOS, 6BOS

		PRODUCT CODE:	Nominal Thickness (in)	Pieces Per Carton	Angle	Weight Per Carton (lbs)	Color Palette	
	Inside Box Miter	5INM	0.019	20	N/A	7		
	Outside Box Miter	50TM	0.019	20	N/A	7		
ם חוור בי	Inside Strip Miter	5ISM	0.027	20	N/A	3	Н	
	Outside Strip Miter	50SM	0.027	20	N/A	3		
	Inside Bay Strip Miter	5BIS	0.027	20	45°	4	202 Royal Brown PF	
	Outside Bay Strip Miter	5BOS	0.027	20	45°	4	TWK 30° White TWL 80° White	

6" PROFILES	Inside Box Miter	6INM	0.019	20	N/A	13	
	Outside Box Miter	60TM	0.019	20	N/A	11	Н
	Inside Strip Miter	6ISM	0.027	20	N/A	4	П
	Outside Strip Miter	60SM	0.027	20	N/A	4	
	Inside Bay Strip Miter	6BIS	0.027	20	45°	5	202 Royal Brown ## TWK 30° White
	Outside Bay Strip Miter	6BOS	0.027	20	45°	5	TWL 80° White

Color Palette H

034 Linen # 050 Beige # 055 Gray # 060 Carmel # 067 Jefferson Tan #

200 Black 75 202 Royal Brown 75 204 Grecian Green 75

204 Grecian Green ## 249 Bronze ## 250 Musket Brown ## 253 Terratone PTF 315 Barn Red PTF

685 Savannah Wicker m 752 Pebblestone Clay m 902 Cobblestone m D26 Charcoal Gray ##
TAD Almond ##

TMK Musket Brown #

TWK 30° White TWL 80° White

RAINWARE



ACCESSSORIES

5" End Caps

Pieces	Per	Carton	50
116663	1 61	Guiton	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette		
5ENL	0.019	3			
5ENR	0.017	J			
6ENL	0.010		- н		
6ENR	0.019	4			

6" End Caps

D:	D 0 1	Ε0
Pieces	Per Carton	50



2"x 3" Rectangular Outlet

Pieces	Por	Carton	30
FIELES	FEI	Garton	JU

3"x 4" Rectangular Outlet

D:	D	C	ГΩ
rieces	rer	Carton	ກມ



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
OUT23000	0.019	2	MILL
OUT34000	0.019	4	MILL

3"x 4" Oval Outlet


Pieces Per Carton



OVAL34000	0.019	4	MILL
PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette

Universal Downspout Pipe Band

Pieces Per Carton



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
PB23	0.019	4	Н

Universal T-Strap (Roof Strap)

Pieces Per Carton

HGRSTP	N/A	4	MILL
PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette

Color Palette H

CULU	i i atotto ii
034	Linen 🚧
050	Beige 🚧
055	Gray 🚧

060 Carmel 🛺 067 Jefferson Tan 🛲

200	Black 🚧
202	Royal Brown 🚧
204	Grecian Green 🙉

204 249 Bronze P7 250 Musket Brown 🚧

253	Terratone 🚧
315	Barn Red 🚧
685	Savannah Wicker
752	Pehhlestone Clay PT

902 Cobblestone 🕾

D26 Charcoal Gray PTF TAD Almond 💯 Musket Brown 🙉 TMK

TWK 30° White TWL 80° White



HANGERS


HANGERS & ACCESSSORIES

5" Hidden Hanger

Pieces Per Carton 100

5" Hidden Hanger with Screw

Pieces Per Carton 500



Hidden Hanger 5HHGR, 6HHGR


5SHH000	15	IVIILL
5HHGR000	4	MILL
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette

6" Hidden Hanger

Pieces Per Carton 100

6" Hidden Hanger with Screw

Pieces Per Carton 300




Hidden Hanger with screw 5SHH, 6SHH

6SHH000	25	MILL
6HHGR000	5	MILL
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette

Zip Screw


Pieces Per Carton 1000



ZIPS	3	H
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette

Touch-up Spray Paint*

D-CAN	9	Н
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette



5" & 6" Gutter Goalie®

Pieces Per Carton	25
Length per piece (ft)	4
Lineal Feet	100

•	4'
\$\frac{1}{3/4"}	
1" 5SGOALIE	1" 6SGOALIE

PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
5SGOALIE	24	199 Black
6SGOALIE	26	177 Dlack

Color Palette H

067 Jefferson Tan 🛲

200 Black **P7** 034 Linen PF 050 Beige 🛺 202 Royal Brown 🚧

055 Gray 🕶 Grecian Green 🛲 Carmel 瘫 249 060 Bronze PTF

250 Musket Brown Pr

253 Terratone PFF 315 Barn Red 🕶

685 Savannah Wicker 🕶 752 Pebblestone Clay PT+ 902 Cobblestone 277

D26 Charcoal Gray 🙉

TAD Almond PF


TMK Musket Brown PF

TWK 30° White

TWL 80° White



DOWNSPOUTS & ELBOWS



Downspout 2"x 3" DS2308, DS2310

Downspout 3"x 4" DS3408, DS3410, DS341024



A- Elbow AE23, AE34



B- Elbow BE23, BE34



Ledge Jumper LJ23, LJ34

	PRODUCT CODE:	Normal Thickness (in)	Length Per Piece (ft)	Pieces Per Carton	Lineal Feet	Weight Per Carton (lbs)	Color Palette
Downspout 2" x 3"	DS2308	0.019	8	10	80	20	Н
Downspout 3" x 4"	DS3408	0.019	8	10	80	26	Н
Downspout 2" x 3"	DS2310	0.019	10	10	100	25	Н
Downspout 3" x 4"	DS3410	0.019	10	10	100	32	Н
HD Downspout 3" x 4"	DS341024	0.024	10	10	100	41	0
A- Elbow 2"x 3" (75°)	AE23	0.019	-	30	-	7	Н
B- Elbow 2" x 3" (75°)	BE23	0.019	-	30	-	7	Н
A- Elbow 3" x 4" (75°)	AE34	0.019	-	20	-	8	Н
B- Elbow 3" x 4" (75°)	BE34	0.019	-	20	-	8	Н
Ledge Jumper 2" x 3" (30°)	LJ23	0.019	-	50	-	17	Н
Ledge Jumper 3" x 4" (30°)	LJ34	0.019	-	40	-	11	Н

Color Palette H

Linen 🛺 050 Beige PTF 249 Bronze PTF Gray PT+ 055 250

Carmel PTF Jefferson Tan 🙉

Black PT+ Royal Brown PT 204 Grecian Green 🚧

Musket Brown 🚧 Terratone 🙉

315 Barn Red 🙉 Savannah Wicker 🕶 Pebblestone Clay 🚧

902 Cobblestone 🕶 D26 Charcoal Gray 🛲

TAD Almond PTF TMK Musket Brown PFF

TWK 30° White TWL 80° White

Color Palette 0

Linen 🚧 202 Royal Brown 🕶 249 Bronze 🎮

253 Terratone 🛲 Almond PTF

Musket Brown 🚧

30° White TWK 80° White TWL



ALSCO® BUILDING PRODUCTS ALUMINUM WARRANTY

A LIMITED AND TRANSFERABLE WARRANTY

Coverage

Alsco warrants to the original homeowner that Alsco aluminum building products are free from manufacturing defects and when used as intended under conditions of ordinary wear will not peel, chip, crack, split, flake or blister. Alsco warrants for a period of twenty five years from date of installation, that color change in panels used as intended will not vary more than seven color difference units and that chalk erosion for colors will not exceed a numerical rating of six units over the same period of time.* This warranty does not cover non-uniform color changes resulting from unequal exposure to sunlight.

If a product fails to perform in accordance with the above standards, after written notification and validation of the condition by inspection, Alsco Building Products will repair or replace, at its option, any defective product, assuming 100% of the cost. In the event of repair or replacement under the terms of this warranty, the original warranty terms and duration will remain in effect for the remaining warranty term.

All warranty claims shall be settled between the owner and Alsco. Alsco may direct and pay a contractor to perform any remedial work under this warranty. If any corrective work on or replacement of warranted products is performed by the homeowner or anyone engaged by homeowner prior to receiving written permission to do so from Alsco, such action will void the homeowner's coverage under this warranty.

The liability of Alsco for a claim under this warranty shall in no event exceed the homeowner's original purchase price- including labor and taxes- for the product involved. It shall be the homeowner's obligation to provide documentation or other reasonable evidence of such original costs.

* Color difference units are determined by Tristimulas Colormetry - A.S.M. D2244 -08. Numerical chalk erosion ratings are determined by standard methods of evaluating degree of chalking - A.S.T.M. D4214-07.

Duration

- Original Owner: This warranty is in effect for the lifetime
 of the original homeowner so long as such original
 homeowner continues to own the home where Alsco
 products have been installed.
- 2. Second Owner: This warranty can be transferred by the original owner to whom is issued to the next owner of the property. Upon completion of the transfer, the warranty period shall be limited to 50 years from the original date of installation of the Alsco products; provided, however, Alsco and the second owner shall share the cost of repair or replacement of any defective products, including labor and materials. (Please see "Allocation of Warranty Costs When Apolicable")
- 3. Institutional Owner: For an owner such as a corporation, partnership, group, governmental agency, association, or other organization capable of enduring for generations, this warranty is limited to a period of 50 years from the date of original installation of Alsco products.

Warranty Registration

This warranty is valid only after the registration card has been completed by the Alsco building products dealer, signed by the original owner and mailed to Alsco within 30 days after installation has been completed. Failure to register within the 30 day period set forth above will not void the warranty, but registration will confirm the date of purchase and will assist Alsco in processing any warranty claim that might arise in the future. This confirmation is a benefit to the homeowner in case original proof of purchase cannot be found.

Exclusions and Limitations

This warranty does not cover damage resulting from any of the following: faulty installation (including but not limited to waving and/or buckling caused by improper installation); "oil canning" (perceived waviness in the flat areas of metal siding panels); fire, lightning, hurricane, hail storm, wind storm, earthquake or other acts of God; accidental damage or vandalism; impact of foreign objects; structural shrinkage or distortion; lap abrasion; harmful chemicals, pesticides, fumes or vapors; direct contact with and water run-off from dissimilar metals or other materials (e.g., metals such as copper, zinc and steel, or other materials such as concrete, blacktop, stucco, asbestos siding, pressure treated or pre-treated lumber, roofing materials or roofing systems containing metallic granules or strips, or other corrosive non-metallic materials); damage resulting from painting, varnishing, coating or otherwise altering the surface of the products except in strict accordance with Alson's instructions or guidelines; distortion or warping caused by excessive heat sources such as window reflection, skylights, outdoor grills and other items which can cause products to distort or change color due to excessive heat buildup: surface deterioration due to air pollution and airborne stains; misuse or abuse; normal weathering; acid rain; salt spray directly applied or in the atmosphere; mildew accumulation; owner's failure to provide normal cleaning and maintenance of the product (please see care and maintenance instructions); and/or other causes beyond the control of Alsco.

This is the homeowner's exclusive warranty and is in lieu of all other warranties, express or implied, except as may be required by applicable law. Without limiting the generality of the foregoing, Alsco shall not be liable for any breach of any other written or oral warranties given to the homeowner by any third party(ies) such as those (if any) given to the homeowner by dealers, contractors, applicators or distributors of the products.

ALSCO IS NOT LIABLE FOR INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES FOR THE PRODUCTS COVERED BY THIS WARRANTY. REPAIR OR REPLACEMENT IS THE EXCLUSIVE REMEDY AVAILABLE UNDER THIS WARRANTY.

Alsco reserves the right to discontinue or make changes in any of its products. If the products covered by this warranty are not available, Alsco has the right to substitute a product of equal or greater quality or value.

Alsco does not hereby undertake to repair or replace non-defective Alsco products. Rather, Alsco may elect to repair or replace only the particular portion(s) of such Alsco products that is/are defective and/or excessively faded (as per the terms of this warranty) and we cannot and do not guarantee an exact color match with regard to the replacement product(s) as compared to the adjacent non-replaced products. Color variance may occur between replacement products in comparison with the original products due to normal weathering and aging of the original products, and this is not indicative of a defect in either the replacement products or the original products.

This warranty gives you specific legal rights; you may also have other rights which may vary from state to state. Pertinent state law shall also control for what period of time following the sale a homeowner/consumer may seek a remedy under the implied warranty of merchantability or fitness for a particular purpose. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

Claims Procedure

A claim under this warranty must be presented in writing within 30 days following the discovery of any warranted defects to Alsco Building Products, 800 Chase Ave., Elk Grove Village, Illinois 60007 Attention: Warranty Service Department.

The claim should be accompanied by a copy of this warranty certificate, and a description of the defect.

Corrective work on warranted products may not be started prior to receiving permission to do so from Alsco.

Ultimate determination of the existence and extent of any claimed manufacturing defect hereunder shall be made by Alsco in its sole discretion. As noted above, corrective work on warranted products may not be started prior to receiving permission to do so from Alsco, and Alsco reserves the right to perform such corrective work itself or through others retained by it. Homeowner shall cooperate with Alsco and its contractors in connection with the scheduling and performance of any corrective or replacement work hereunder.

In the case of second and institutional owners, after five years of the warranty period have elapsed, a claim under this warranty must be accompanied by a \$50 payment to Alsco. Checks should be made payable to Alsco Building Products and mailed to the above address.

Warranty Transfer

This warranty may be transferred from the original owner to whom it was issued to the next owner of the property provided Alsco receives written notice within 30 days of the date of the transfer. Notice must include the original owner's name as shown on the warranty certificate, the name of the new owner, the warranty certificate registration number and the date Alsco products were installed on the property.

Upon transfer of the property, the warranty period shall be limited to 50 years from the date of installation. Alsco and the new owner shall share in the cost of repair or replacement of any defective product, including labor and materials as described below.

Allocation of Warranty Cost When Applicable

For second and institutional owners the cost, including labor and materials, to repair or replace defective products shalt be allocated between the owner and Alsco according to the following schedule: Alsco will assume 100% of such costs for validated claims made during the first five years of the warranty period. During the sixth year, Alsco's share of such costs will be 90%, and the homeowner's share will be 10%. Each year thereafter, through the thirteenth year, Alsco's share of such costs will cumulatively decrease from 90% by 10% per year. Starting with the fourteenth year of the warranty period, and for the balance of the warranty period, Alsco's share will be 10% and the owner's share will be 90% of such costs.

Effective only for Alsco aluminum products purchased in or after April, 2015



SPECIFICATIONS //



TRIM COIL

MATERIAL

- A. All ALSCO® trim coil shall be made of an ALSCO 3105-type aluminum sheet with a minimum tensile strength of 29,000 psi, or equivalent, as referenced in Architectural Aluminum Manufacturers Association specification AAMA 1482-86 (paragraph 3.2.3). The metal shall be treated on both sides with a nonchromate chemical conversion coating to ensure excellent paint adhesion and resistance to corrosion.
- B. ALSCO trim coil products are all packaged with one roll per carton. All 24" coils shall be packaged with 32 rolls/skid.

Coil shall be of the following widths, lengths and thicknesses:

Product	Width	Length/Roll	Nominal Thickness
C14	14"	50 feet	0.019"
C24	24"	50 feet	0.019"
C24PVC	24"	50 feet	0.019"
CTP24	24"	50 feet	0.019"
T24	24"	50 feet	0.019"
T24PVC	24"	50 feet	0.019"

C. ALSCO aluminum trim coil is available in a wide array of colors to match all ALSCO fabricated products. Please refer to product literature for color availability. The standard thickness tolerance for products made from aluminum sheet material shall be +0.000", -0.003".

APPLICATION

ALSCO aluminum trim coil is designed for residential and light commercial applications. Trim coil can be field formed to provide lowmaintenance coverings for exterior trim surfaces such as window and door casings, window sills, drip caps, fascias, porch posts, louvers, flashings, etc. Trim sheet shall be attached with color-matched screws, stainless steel or aluminum trim nails.

APPLICATION CONSIDERATIONS

Direct contact of aluminum products with certain dissimilar materials or contact with the water run-off from such materials is likely to result in corrosion, which is not covered by the Warranty. Therefore, care should be exercised to avoid contact of aluminum with any corrosive materials during installation, including, but not limited to: pretreated lumber, concrete, masonry cement, stucco, fiber cement products, salt, corrosive chemicals, dissimilar metals (copper, zinc, steel, etc.), and roofing systems made with metallic granules of such dissimilar metals.

DYMALAR® 2000

ALSCO® Dymalar® 2000 finish is a proprietary resin system available in a wide variety of colors and specifically formulated for residential aluminum product applications. The system is designed for compatibility with industry-accepted pre-treatment systems. This baked-on finish offers exceptional forming flexibility, cleanability, stain and mar resistance in exterior applications.

Physical Properties

Flexibility 1T NC/NTO Pencil Hardness HB-2H

Reverse Impact 1.5X Metal Thickness, NTO

Solvent Resistance 100+ D-MEK

Dry Film Thickness 0.6 - 0.8 mils avg.

8 - 10° Gloss

Weathering

No creep over 1/32" from scribe, 5% Salt Spray (Al)

ASTM B117, 1,000 HR

No significant visual change after 100% Humidity

1,000 HR per ASTM D2247-87

QUV No visible loss of film integrity and no

> chalking greater than #8 after 500 HR, as measured by ASTM D4214-89



SPECIFICATIONS //

PVC

ALSCO® PVC finish is a roll-applied, plasticized polyvinyl chloride (plastisol) two-coat system available in a wide variety of colors. Like our Dymalar® 2000 finish, it is engineered specifically for exterior applications and designed for outstanding resistance to weathering, abrasion, pollution, corrosion and other harmful airborne contaminants.

Physical Properties

Film Thickness 3.2-3.7 mils standard

Pencil Hardness 2B-HB Flexibility 0-T

Solvent Resistance 50-100 D-MEK Dry Film Thickness 3.5 mils avg.

Weathering

5% Salt Spray (Al) No creep over 1/32" from scribe,

ASTM B117, 1,000 HR

100% Humidity No visual change after 1,000 HR

per ASTM D2247-87

QUV No visible loss of film integrity and no

chalking greater than #8 after 500 HR, as

measured by ASTM D4214-89

(3.5 mils DFT) Pass 200 Liters falling sand, Ahrasion

ASTM D968

Flame Resistance Self extinguishing, ASTM D568

DURATEX™ TRIM COIL

DuraTex[™] trim coil is coated on both sides with a high performance, roll-applied, mar-resistant, low-gloss textured polyester. The top surface is available in a wide array of color options and the reverse side is coated with G280 DuraTex 280 White. All coatings conform to the standard commercial coating specifications, as referenced in AAMA specifications 1482-86 (paragraph 3.2.4).

Physical Properties

Gloss 17-25 @ 60° Flexibility 1-2T NTP Pencil Hardness F-2H

Reverse Impact 1.5 X Metal thickness in inch/lbs NTPO

Solvent Resistance 100+ Dbl. MEK Dry Film Thickness 0.70 - 0.80 mils.

Weathering

Salt Spray Resistance Single coat aluminum, no field blistering, no more than 1/32" creep from the scribe 5% Salt Fog @ 95F

after 1000 hours exposure

Humidity Resistance Single coat aluminum, no blistering or loss 100F & 100% Humidity of adhesion after 1000 hours exposure

APPLICATION

DuraTex tough low gloss, lightly textured finish makes it the perfect choice for demanding applications. ALSCO DuraTex Aluminum Trim Coil is designed for residential and light commercial applications. Trim coil can be field-formed to provide low-maintenance coverings for exterior trim surfaces such as window and door casings, window sills, drip caps, fascias, porch posts, louvers, flashings, etc. Trim sheet shall be attached with color-matched stainless steel or aluminum painted trim nails.



SPECIFICATIONS //

ALUMINUM SOFFIT

ALSCO® soffit and fascia products meet or exceed requirements set forth in AAMA Voluntary Specifications Report Number 1402-86. All stated metal thicknesses are nominal. The standard thickness tolerance for products made from aluminum sheet shall be +0.000", -0.003".

TECHNICAL

Alloy or equivalent 3105 type

Specific Gravity 2.73 gr/cm3

Density 0.098 lb/in3

Minimum Ultimate Tensile Strength 28,000 psi

Minimum Ultimate Yield Strength 24,000 psi

Minimum Elongation 3%

Modulus of Elasticity 10,000,000 psi

Coefficient of Thermal Expansion (Linear) 13.1 u-in/in/°F

Melting Range 1190-1210°F

Thermal Conductivity at 77°F 1190 BTU-in/ft2-hr-°F

Hardness (Rockwell 15T) 63-70

APPLICATION CONSIDERATIONS

Direct contact of aluminum product(s) with certain dissimilar materials or contact with the water run-off from such materials is likely to result in corrosion, which is not covered by the warranty. Therefore, care should be exercised to avoid contact of aluminum with any corrosive materials during installation, including, but not limited to: pretreated lumber, concrete, masonry cement, stucco, fiber cement products, salt, corrosive chemicals, dissimilar metals (copper, zinc, steel, etc.) and roofing systems made with metallic granules of such dissimilar metals.

RAIN CARRYING PRODUCT

MATERIAL

- ALSCO gutter coil shall be made from a 3105-type alloy aluminum with a minimum tensile strength of 24,000 psi.
- ALSCO rain carrying system products are designed for use in residential and light commercial applications.
- ALSCO gutter coil shall be made available in two thicknesses: nominal 0.027" and nominal 0.032". The coil is available in widths that can be used to produce both 5-inch and 6-inch K-style gutters on all popular forming equipment. The standard thickness tolerance for products made from aluminum sheet material shall be +0.000", -0.003".
- ALSCO standard 2"x 3" and 3"x 4" downspout and type A and B elbows shall be available in nominal 0.019" thickness. Heavy Duty 3"x 4" downspouts in nominal 0.024" thickness shall also be available.
- Other gutter accessories shall be readily available including inside and outside box and strip miters, left and right end caps, hangers, drop outlets and fasteners.
- Prior to factory painting, the metal shall receive a special cleaning process to assure maximum paint adhesion. The inside of all gutters, downspouts and elbows shall be coated with a special corrosion inhibiting pretreatment and a protective polyester coating. The exteriors will be coated in a two-phase operation that includes a corrosion-inhibiting pretreatment and ALSCO's high performance Gutter-Tuff® coating system, designed specifically for on-site forming of seamless gutters.
- All accessories used with ALSCO rain carrying system products shall be ALSCO accessories designed for use with ALSCO materials, and shall have the same Gutter-Tuff coating to ensure that the warranty covering the rain carrying products and accessories is applicable to both.

CERTIFICATE OF CONFORMANCE

ALSCO gutters, downspouts and accessories shall meet or exceed the following specifications:


- Architectural Aluminum Manufacturers Association (AAMA)
 Specification 1405.1: Specifications for Aluminum Gutters and Downspouts.
- HUD Minimum Property Standard 4900.1 for One and Two Family Dwellings.
- HUD Minimum Property Standard 4910.1 For Multi-Family Dwellings.



PROPER SOFFIT VENTILATION

Properly installed soffit allows air to flow naturally. Moisture can collect under roof structures and on rafters causing rotting and decaying. ALSCO® aluminum soffit is engineered so that air circulates properly to help eliminate moisture problems.

ALSCO® soffit panels are designed to provide optimal airflow. Following building codes while installing a proper ventilation system is critical to the structural performance of your house. The International Code Council (ICC) has provided general guidelines for determining proper ventilation for the home. The 1/300 and 1/150 ratios are for calculating ventilation requirements. Be sure to follow all applicable, local building codes.



ICC guidelines recommends that the free area of ventilation (in square inches) needed is the number at which the two columns intersect. The sum of the free area of all ceilings equal the total free area required. The total square feet of an attic space divided by 300 = the total net free area required for appropriate ventilation.

Attics without vapor barriers must use the 1/150 ratio. Keep in mind that some climates or locations demand more net free area to prevent ice dams in cold climates and mold and mildew in hotter climates.

							CE	ILING	WID	TH (F	T.)					
		20	22	24	26	28	30	32	34	36	40	42	44	46	48	58
	20	192	211	230	250	269	288	307	326	346	384	403	422	441	46	480
	22	211	232	253	275	296	317	338	359	380	422	444	465	485	506	528
	24	230	253	276	300	323	346	369	392	415	461	484	507	530	553	576
	26	250	275	300	324	349	374	399	424	449	499	524	549	574	599	624
	28	269	296	323	349	376	403	430	457	484	538	564	591	618	645	662
	30	288	317	346	374	403	432	461	490	518	576	605	634	662	691	720
	32	307	338	369	399	430	461	492	522	553	614	645	675	706	737	768
CEILING	34	326	359	392	424	457	490	522	555	588	653	685	717	750	782	815
LENGTH (FT.)	36	346	380	415	449	484	518	553	588	622	691	726	760	795	829	864
	38	365	401	438	474	511	547	584	620	657	730	766	803	839	876	912
	40	384	422	461	499	538	576	614	653	691	768	806	845	883	922	960
	42	403	444	484	524	564	605	645	685	726	806	847	887	927	968	1008
	44	422	465	507	549	591	634	676	718	760	845	887	929	971	1013	1056
	46	442	486	530	574	618	662	707	751	795	883	927	972	1016	1060	1104
	48	461	507	553	599	645	691	737	783	829	922	968	1014	1060	1106	1152
	50	480	528	576	624	672	720	768	816	864	960	1008	1056	1104	1152	1200

Free area chart utilizes 1/300 ration. Double the values to obtain 1/150 ratio.



ESTIMATING

GUTTER COIL RATIO TO ACCESSORIES

The following calculations are to be use as a general guideline for estimating purposes. Given the variability of tolerance and drift in mill specifications, these figures may vary.

EXAMPLE:

A 350 lbs. coil of 0.027 x 11.75 is 350 lbs. x 2.74 = 959 ft.

Gauge	Multiply	Size	Equals	Ft/Lb	Calculation
		11.75		2.74	(1/.365)
0.027	X	11.875	=	2.688	(1/.372)
		15		2.127	(1/.47)
	X	11.75		2.315	(1/.432)
0.032		11.875	=	2.283	(1/.438)
		15		1.785	(1/.56)

CONVERSION RATIO OF GUTTER COIL TO GUTTER ACCCESSORIES

(based on an average gutter run of 40 ft.)

Downspout	1 ft. of downspout for every ft. of gutter coil
End Caps	2 end caps (left and right) per 40 ft.
Outside Miter	1 outside miter per 40 ft.
Inside Miter	1 inside miter for every 120 ft. of gutter
Outlet Tube	1 outlet per 40 ft.
Elbows	30 80° A and 20 80° elbows for 100 ft. of downspout
Screws	One bag of screws per 2 boxes of downspouts
Pipe Band	20 pipe bands per box of downspouts

These calculations are for information purposes only. All material quantities and weights should be verified when placing your order. UPDATED 7/19



NOTES			



PRODUCT MATRIX

PRODUCTS	Page No.		PRODU(CODE			rmal ness (in)	Pieces Cart		Lengtl Per Piece		Weight Per Carton (lbs		(1) Snowmist		280 White	
Aluminum Siding & Sill Trim																
8" Woodgrain Siding	30		J-8H	T	0.	019	2	4	12'6	"	64		•		•	
8" Smooth Siding	30	J-	8HSC	119	0.	019	2	4	12'6	11	64		•		•	
Aluminum Siding Accessories																
3/4" J Channel	31		E-E1	2		_	2!	5	12		16		•		•	
1-1/8" J Channel	31		E-E1	8		_	2!	5	12		21		•		•	
1" Woodgrain Outside Corner Post	31	Е	-OCP	1T		_	10	0	10		24		•		•	
1" Smooth Outside Corner Post	31	E	E-OCF	P1		_	10	0	10		24		•		•	
Undersill Molding	31		E-US	M		-	2	5	12		18		•		•	
Individual Outside Corner - Smooth	31		E-IC			_	10	0	8"		8		•		•	
Individual Outside Corner - Woodgrain	31	E-ICT		- 100		8"		8	•		•					
PRODUCTS Meridian Vinyl Siding	Page No.	(17) Stone	(33) Cobblestone	(067) Jefferson Tan 死	(174) Storm Gray	(253) Terratone	(255) Cypress	(280) White ma	(374) Keystone	(509) Country Beige	(680) Hampton Blue	(689) Timber Blend	(692) Richmond Red	(714) Sierra	(767) Twilight	
VJ-V040D45DL			•					•						•		
VJ-V042D4, VJ-V042D45DL	24	•	•	•	•		•	•	•	•		•		•	•	
VJ-V044D4		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VJ-V044D5	25	•	•	•				•	•	•				•	•	
Meridian Vinyl Siding Accessories		1	l	l												
VE-V5/8J, VE-V11/8J, V-VUSM, VE-VDUSM, VE-VICP, VE-V40CP	26	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Meridian Vinyl Soffit																
•	27							•								
Meridian Vinyl Soffit VA-V10.038SS, VA-V10.040SS VA-V12SS, VA-V12-FV	27	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
VA-V10.038SS, VA-V10.040SS	27	•	•	•	•	•	•	•	•	•	•	•	•	•	•	



PRODUCTS	Page No.	(034) Linen <i>PT</i> -	(050) Beige PT+	(055) Gray 🕶	(60) Carmel <i>m</i>	(067) Jefferson Tan 死	(200) Black 🛲	(202) Royal Brown 死	(204) Grecian Green 死	(249) Bronze 177
Trim Coil										
C14, C24H	11									
C24	11	•	•	•	•	•	•	•	•	•
Double Six Soffit Profiles										
ASVP12, ALVP12	1/	•	•	•	•	•	•	•	•	•
AVBS12, AVBL12	16							•		
Triple 4" Soffit Profiles										
T4S12, T4CV12, T4V12	17	•	•	•	•	•	•	•	•	•
VBT4S12, VBT4CV12, VBT4V12	17	•	•				•			•
Quad Four Soffit Profiles										
Q4S16, Q4CV16, Q4V16	18	•	•	•	•	•	•	•	•	•
ECNQV16	19									
A-HV16		•	•	•	•	•	•	•	•	•
Smooth & Woodgrain Fascia										
BASL4, BASL4WG, BASL6, BASL6WG, BASL8, BASL8WG, BASL10, BASL10WG	20	•	•	•	•	•	•	•	•	•
Soffit Accessory Profiles										
BWFJ38, BFR38, AWFJ12, AFR119	10	•	•	•	•	•	•	•	•	•
RDCR19, AWFJ34	19									



(253) Terratone 死	(280) White m	(315) Barn Red <table-cell-rows></table-cell-rows>	(685) Savannah Wicker 死	(752) Pebblestone Clay 死	(902) Cobblestone m	(D26) Charcoal Gray 死	(TAD) Almond 死	(TMK) Musket Brown 死
	•							
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
	•							
•	•	•	•	•	•	•	•	•
	•			•	•	•	•	•
•	•	•	•	•	•	•	•	•
	•							
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
	•							



PRODUCTS		Page No.	(034) Linen <i>m</i>	(050) Beige m	(055) Gray <i>P</i>	(60) Carmel <i>m</i>	(067) Jefferson Tan 死	(200) Black m
Over Hang	ing Drip Edge							
F DRIP 4.5"	ODESL, RRM1	34	•	•	•	•	•	•
	D-ODESLT, BRM1, EVD4.5	04						•
F DRIP 5"	RRM18, 1.50DET4410, ODE112, BRM112, D-ODE, 1.750DET4410	35	•	•	•	•	•	•
	BRM114, 1.50DET4412, 1.750DET4412							•
F DRIP 5.5"	BODE15		•	•	•	•	•	•
I DINII 0.0	BODEXTL, BRM134	37						•
F DRIP 6"	RRM22	37	•	•	•	•	•	•
F DRIP 8"	BRM6	37						•
C DRIP 3"	RRM3	38						•
נ שאור ט	BRM3	30						•
C DRIP 4"	RRM4	38	•	•	•	•	•	•
C DRIP 5"	RRM5	38						•
C DRIP 6"	RRM6	38						•
Drip Cap								
E-DC1, E-DC1	1/8, E-DC11/2, RADC15	39	•	•	•	•	•	•



(202) Royal Brown 死	(204) Grecian Green 死	(249) Bronze <i>P</i>	(253) Terratone 死	(280) White 死	(315) Barn Red 🛲	(685) Savannah Wicker 🗪	(752) Pebblestone Clay 死	(902) Cobblestone 死	(D26) Charcoal Gray 🕶	(TAD) Almond 🖛	(TMK) Musket Brown P74
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•				•							
				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•				•							
•	•	•	•	•	•	•	•	•	•	•	•



PRODUCTS	Page No.	(034) Linen <i>m</i>	(050) Beige 777	(055) Gray <i>म</i> न	(60) Carmel 🗪	(067) Jefferson Tan 死	(200) Black 死
Roof Flashing Profiles							
E-3/8Z, E-RTW	40						•
ADF112, ADF158	41						•
K-BL	41						•
K-BS208	41	•	•	•	•	•	•
RRM35	42						•
RRM40, RRM50, RRM60	42	•					•
S-SDORMF10	42						
5X7AFS, 8X8AFS, 6X12AFS, 2.5X2.5X7ASF, 4X4X8ASF, S2.5X2.5X7GSF	43						•
S5X7GFS, S8X8GFS, S6X12GFS, S4X4X8GSF	43						
W Valley							
\$14X10WV, \$14X10WVH, \$18X10WV, \$18X10WVH, \$20X10WV, \$20X10WVH, \$22X10WV, \$22X10WVH, \$24X10WV, \$24X10WVH	43						•
Roll Valley							
10X50RV, 10X25RV, 14X50RV, 14X25RV, 18X50RV, 18X25RV, 20X50RV, 20X25RV, 24X50RV, 24X25RV	44						
\$6X50RV, \$8X50RV, \$10X50RV, \$10X25RV, \$12X50RV, \$14X50RV, \$16X50RV, \$18X50RV, \$20X50RV, \$B20X50RV, \$24X50RV, \$B24X50RV, \$28X50RV, \$30X50RV, \$36X50RV	45						



(202) Royal Brown 死	(204) Grecian Green 死	(249) Bronze <i>P</i> P	(253) Terratone 死	(280) White PF	(315) Barn Red 🗪	(685) Savannah Wicker 死	(752) Pebblestone Clay 死	(902) Cobblestone 777	(D26) Charcoal Gray 🌇	(TAD) Almond PF	(TMK) Musket Brown 874	Mill / Galvanized
•			•	•							•	
•			•	•			•				•	
•			•	•			•				•	
•	•	•	•	•	•	•	•	•	•	•	•	
				•								
•			•	•			•		•	•	•	
•			•	•								
•			•	•								
												•
												•



PRODUCTS	Page No.	(034) Linen <i>m</i>	(050) Beige 77:	(055) Gray <i>ere</i>	(60) Carmel <i>PT</i> -	(067) Jefferson Tan 死	(199) Black	(200) Black 🕶	(202) Royal Brown 死	(204) Grecian Green 🕶
Downspouts										
DS2308, DS3408, DS2310, DS3410	49	•	•	•	•	•		•	•	•
DS341024	47	•							•	
Elbows/Ledge Jumpers										
AE23, BE23, AE34, BE34, LJ23, LJ34	49	•	•	•	•	•		•	•	•
5" Miters										
5INM, 50TM, 5ISM, 50SM	,,	•	•	•	•	•		•	•	•
5BIS, 5BOS	46								•	
6" Miters										
6INM, 60TM, 6ISM, 60SM	,,	•	•	•	•	•		•	•	•
6BIS, 6BOS	46								•	
End Caps										
5ENL, 5ENR, 6ENL, 6ENR, PB23	/7	•	•	•	•	•		•	•	•
OUT23000, OUT34000, OVAL34000, HGRSTP	47									
Hangers & Accessories										
5HHGR000 5" Hidden Hanger										
5SHH000 5" Hidden Hanger with Screw										
6HHGR000 6" Hidden Hanger	/ 0									
6SHH000 6" Hidden Hanger with Screw	48									
ZIPS Zip Screw		•		•	•	•		•	•	•
D-CAN Touch-up Spray Paint		•	•	•	•	•		•	•	•
Gutter Protection										
5SGOALIE, 6SGOALIE	48						•			



(249) Bronze <i>m</i> a	(253) Terratone 🛲	(280) White m	(315) Barn Red 🕶	(685) Savannah Wicker 🕶	(752) Pebblestone Clay 死	(902) Cobblestone 🛲	(D26) Charcoal Gray 🕶	(TAD) Almond 074	(TMK) Musket Brown 774	Mill	(TWK) 30° White	(TWL) 80° White
•	•		•	•	•	•	•	•	•		•	•
•	•							•	•		•	•
•	•		•	•	•	•	•	•	•		•	•
•	•		•	•	•	•	•	•	•		•	•
											•	•
•	•		•		•	•	•	•	•		•	•
											•	•
										•		
										•		
										•		
										•		
											•	
•				•	•	•		•			•	



NOTES			



