

### TRIM COIL | SOFFIT | FASCIA | SIDING | ROOF EDGES

### PERFECTION. **EVERY TIME**.





## Our Full Line Product Catalog Is a QR CODE Away

QR codes are everywhere today. These modern-day barcodes let you quickly open a web page, download an app, send text messages, and more. All you have to do is scan them with your smartphone camera to get access to all this helpful information.



2

SCAN QR CODE WITH CAMERA



CLICK ON NOTIFICATION WITH LINK



4

SUCCESS, SCROLL AWAY!





#### How to Scan a QR Code on an iPhone

To scan a QR code on your iPhone, all you have to do is open the Camera app and point your phone at the QR code. Make sure the QR code is inside the box on your screen and then tap the pop-up notification.

## How to Scan a QR code on an **Android Phone**

If you're running Android 8 or later, you can scan a QR code by long-pressing the home button and selecting Lens. Then point your camera at the QR code, tap the magnifying glass icon, and tap the pop-up notification.

# We're perfectionists.

Since 1947, unlike other building product manufacturers, we have kept complete control over every aspect of product manufacturing process, including painting, roll-forming, and material fabrication. **Why do we do this?** To ensure consistent quality, color, and gloss every time.



#### PERFECTION. EVERY TIME.


For over 70 years, ALSCO has been committed to producing a diverse range of products that make a statement in the home building market. Each product is thoughtfully designed, engineered, and manufactured to maximize curb appeal and reflect your unique personality and taste.





## **Table of Contents**

PERFECT TRIM PLUS	A1-A2
TRIM COIL & COLOR SELECT	B1-B7
SOFFIT, FASCIA & ACCESSORIES	C1-C7
SIDING & ACCESSORIES	D1-D16
MERIDIAN VINYL SIDING	D1-D7
ALUMINUM SIDING	D8-D9
ALUMINUM SIDING ACCESSORIES	D10
STARTER STRIPS	D11
PARADIGM STEEL SIDING	D12-D16
ROOF MOLDINGS	E1-E16
"F" DRIP EDGE	E2-E6
"C" DRIP EDGE	E7-E8
"G" DRIP EDGE	E8
ALUMINUM DRIP CAPS	<b>E9</b>
FLASHING	E10-E16
RAINWARE	F1-F5
ALUMINUM WARRANTY	G1
SPECIFICATIONS	H1-H6
PRODUCT MATRIX	11-110





### We're obsessed with getting it right.

Committed to Sustainability — We use recycled aluminum for our products, saving 95% of the energy required to produce new aluminum from ore. With over 75% of all aluminum ever made still in use, we're dedicated to keeping it in circulation. By sourcing raw materials domestically, often within 500 miles of our facility, we reduce fuel consumption and lower our carbon footprint. Choose ALSCO® for a positive environmental impact.



### **Proudly Made in America's Heartland**

Since 1947, we've been a privately-owned American company, employing American workers and supporting many more jobs by sourcing our materials locally. Our state-of-the-art facility near O'Hare International Airport ensures quick delivery.





## Make the Right Choice Quality, Service, Support and Best Value

WE'RE COMMITTED TO YOUR SATISFACTION. At ALSCO®, our customers come first. Our experienced customer service team is here to support you, available by phone, fax, and email from 8 am to 5 pm Eastern time. We're ready to handle your inquiries, order requests, and provide the follow-up you deserve.

We offer the industry and technical knowledge you need to grow your business, along with marketing support materials, product samples, literature, and warranties, YOUR SUCCESS IS OUR PRIORITY.

ALSCO listens to our customers and works closely with distribution partners to deliver top-quality aluminum and steel building products across North America. We're dedicated to being a reliable source for contractors and homeowners alike.

#### IMPECCABLE PRODUCT

- · Superior quality control
- Exceptional formability
- Easy to clean
- · Virtually maintenance free
- Right product mix

#### **UNPARALLELED SERVICE**

- Dedicated customer service
- Consistent lead times
- On time & in full delivery
- Industry leading warranty
- · A partner to help you grow

PERFECTION. EVERY TIME.





### **PERFECT TRIM™ PLUS** Color Palette

**P77** Available Products Include — Soffit / Fascia / Drip Edge / Trim Coil / Rain Carrying Systems



Colors shown are approximate. Colors may look different on a house compared to print. Please visit your local distributor to see colors in person.



# TRIM COIL — 3 fantastic options.



Offer your customers the colors they need. That's why we offer you a choice of three best-in-class products, strong enough to handle any environment or structural structural challenge, in a wide range of colors.

#### **Perfect Trim Plus**

Perfect Trim Plus is continually ranked among the industry's best.

Dymalar® 2000 coating for a smooth, durable finish

Easy to form and install

Can be matched with other Perfect Trim Plus components for a cohesive look

#### DuraTex™

Our high-quality, textured coating gives DuraTex a **tough**, **scratch-resistant surface**.

Engineered to exceed scratch resistance standards

Unique low gloss, brushed texture

So strong, it's even used in commercial buildings

#### **Color Select**™



Our revolutionary Color Select trim coil is available in over 300 colors.

Able to match many leading siding brands like CertainTeed, James Hardie and Royal Smooth poly or PVC coating options, for the look and feel you want






TRIM COIL | SOFFIT | FASCIA | SIDING | ROOF EDGES

### **DURATEX**<sup>™</sup>

### WINDOW MANUFACTURER COLORS

ALSCO DuraTex<sup>™</sup> trim coil matches leading window manufacturers Marvin, Andersen, Pella and more.



### TRIM COIL



#### Dymalar® 2000 Trim Coil

Width (in)	14
Length (ft)	50
Cartons Per Pallet	48




C14	0.019	15	200 Black ## 202 Royal Brown ## 280 White ##
PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette

#### PT+ & Duratex™ Trim Coil

Width (in)	24
Length (ft)	50
Cartons Per Pallet	32

DYMALAR PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)		Color Palette
C24	0.019	26		PT+
			034 Linen 050 Beige 055 Gray	253 Terratone 280 White 315 Barn Red



DURATEX Nominal Weight Per Color PRODUCT CODE: Thickness (in) Carton (lbs) Palette	CTP24	0.019	26	See Page <b>B3</b>
	201111211			

**60** Carmel

200 Black

249 Bronze

202 Royal Brown

204 Grecian Green

685 Savannah Wicker

902 Cobblestone

TAD Almond


D26 Charcoal Gray

TMK Musket Brown

**067** Jefferson Tan **752** Pebblestone Clay

#### Heavy Duty Trim Coil


Width (in)	24
Length (ft)	50
Cartons Per Pallet	32



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
C24H	0.024	33	034 Linen ## 200 Black ##
			202 Royal Brown 🚧
			249 Bronze 🚧
			253 Terratone 📨
			280 White ##
			685 Savannah Wicker 🕶
			745 Almond PFF
			752 Pebblestone 🚧
			TMK Musket 🚧
			TSA Sandstone 🚧

### Color Select™ Smooth & PVC with Dymalar® 2000

Width (in)	24
Length (ft)	50
Cartons Per Pallet	32



PRODUCT	Nominal	Weight Per	Color
(Smooth) CODE:	Thickness (in)	Carton (lbs)	Palette
T24	_	25	*

PRODUCT	Nominal	Weight Per	Color
(PVC) CODE:	Thickness (in)	Carton (lbs)	Palette
T24PVC	_	27	*

All Trim Coil is painted over **280** White. \*See pages B6-B7 for available Color Select™ colors.



## COLOR SELECT TRIM COIL Wrap Your Projects Beautifully



Formulated to meet the demands of field forming, Color Select™ aluminum trim coil installs crisp and flat. Its rugged yet flexible finish protects against cracking, chipping and flaking while offering exceptional scratch resistance. With Color Select™, your projects are protected from the harshest elements for a lifetime of virtually maintenance free beauty.

Offered in wide range of colors to match popular siding manufacturers like Certainteed, Royal, PlyGem, Exterior Portfolio, James Hardie, Stylecrest and more!



### **Check Our Website**

To view the latest Color Select™ colors please visit www.alscometals.com.

### **COLOR SELECT**™

### TRIM COIL COLOR MATCHES

Certainteed	Smooth	PVC
Arbor Blend	108	
Autumn Red	414	R53
Brownstone	135	
Buckskin	254	V17
Castle Stone	105	N77
Cedar Blend	133	
Charcoal Gray	C11	C10
Cypress	255	N55
Desert Tan	745	827
Driftwood Blend	132	
Espresso	122	C20
Flagstone	331	V31
Forest	441	
Frontier Blend	110	
Granite Gray	61	N82
Hearthstone	332	V32
Heritage Cream	683	N83
Herringbone	478	N84
Light Maple	073	P15
Melrose		C18
Midnight Blue	137	
Mountain Cedar	101	
Musket Brown	309	909
Natural Blend	130	
Natural Clay	714	805
Olive Grove	D29	C42
Oxford Blue	717	817
Pacific Blue	319	319
Rustic Blend	134	827
Sable Brown	169	869
Sandstone Beige PTF	050	850
Savannah Wicker PT+	685	N85
Seagrass	TCS	VCS
Silver Ash	161	
Slate	123	15
Smokey Gray	919	A24
Spruce	330	V30
Sterling Gray	361	897
Tuxedo	125	A25
Weathered Blend	102	
Weathered Wood	121	
Wedgewood Blue	120	
White Colonial PT+	280	878

Exterior Portfolio	Smooth	PVC
Aspen White PT+	280	878
Bone 🚧	902	902
Canyon	445	445
Carbon	447	447
Clay	E05	E06
Country Beige	509	809
Cypress	255	R22
Driftwood	D14	C30

Exterior Portfolio (cont.)	Smooth	PVC
Espresso	C21	C20
Graphite	22	22
Greystone	61	61
Honey Oak	254	N54
Indigo	443	443
Lighthouse Red	C19	C18
Metropolitan Gray	C11	C10
Mocha	161	928
Musket	309	909
Nantucket	C17	C16
Oceanside	449	449
Olive	D11	C27
Pearl	47	47
Peppercorn	D08	C24
Polaris	D07	C23
Regatta	C15	C14
Rye	C13	C12
Saddle	073	R50
Slate	907	907
Smokey Ash	D09	C25
Spruce	441	441
Stone Harbor	707	
Wheat	B8	89

James Hardie	Smooth	PVC
Arctic White	904	904
Aged Pewter	H99	
Boothbay Blue	910	
Cobblestone PT+	902	902
Countrylane Red	R30	
Deep Ocean	708	
Evening Blue	907	907
Gray Slate	977	
Iron Gray	919	
Khaki Brown	903	
Light Mist	361	
Monterey Taupe	362	
Navajo Beige	905	827
Night Gray	707	
Pearl Gray	921	
Rich Espresso	005	
Timber Bark	969	
Woodstock Brown	900	

KP	Smooth	PVC
Almond	713	N32
Barn Red		N92
Bisque	054	827
Cameo	47	
Canvas	177	981
Canyon Red	692	
Castlemore	T41	V41
Classic Linen	789	904

KP (cont.)	Smooth	PVC
Clay	D24	
Cobblestone Wicker		VSA
Graphite	C11	C10
Heritage Gray	056	856
Java Brown	309	
Khaki	714	805
Ocean	680	N80
Putty	TAD	VAD
Sage	255	R22
Sandstone	THO	858
Slate	476	B51
Suede	689	
Tan	D23	
White PTF	280	878

Mastic	Smooth	PVC
Almond	745	C36
Aspen Grey		857
Black PT+	200	4
Brandy Wood	169	
Cameo	47	47
Charcoal Gray PT+	D26	
Cinnabar	414	R53
Classic Cream	38	38
Dark Bronze PT+	249	15
Deep Cavern	447	447
Deep Granite	409	
Desert Sand PT+	902	902
Everest	717	817
Evergreen	45	806
Harbor Grey	682	N82
Iron	D08	C24
Jefferson Tan 🚧	067	N95
Linen		VUU
Misty Shadow	22	22
Montana Suede	445	445
Musket Brown	250	909
Natural Cedar		R52
Natural Slate	907	907
Newport Bay	C15	C14
Pebblestone Clay PT+	752	N95
Portsmouth Blue	680	N80
Quiet Willow	411	V62
Royal Brown PT+	202	889
Rugged Canyon 🞮	60	60
Sandtone	750	R50
Scottish Thistle	TCS	VCS
Silver Grey	056	856
Victorian Gray 🎮	055	855
Vintage Dublin		441
White PTF	280	878
Wicker	TSA	981

www.colorselectcoil.com



### **COLOR SELECT™**

### TRIM COIL COLOR MATCHES

ProVia	Smooth	PVC
Alabaster	713	827
Antique White	789	N84
Aspen	442	442
Canyon	689	60
Chateau	750	852
Clay	714	N95
Cream		851
Everest	TCS	VCS
Granite	409	N77
Gray	056	855
Linen PT+	034	904
Nautica	767	R67
Pewter	476	B51
Premium Blue	E01	E02
Pueblo	445	
Sandalwood	509	999
Sea Slate	907	907
Timberline	22	22
White PTF	280	878

ProVia Millwork	Smooth	PVC
Chateau	750	852
Clay	169	
Coal Black 🚧	200	4
Forest Green	45	
Geneva Blue	767	R67
Primrose Yellow	632	
Snowmist	904	904
Sterling Gray PT+	055	855
Tudor Brown PTF	202	889

Royal	Smooth	PVC
Blue Gray	E01	E02
Brownstone	714	N95
Cocoa	444	444
Cypress	255	R22
Flagstone	D12	C28
Granite	22	22
Harvard Slate	174	874
Heather	040	040
Heritage Blue	D33	C46
Ironstone	447	447
Linen PT+	034	VUU
Marine Blue	443	443
Midnight Surf	907	907
Musket Brown	309	909
Natural Cedar	446	446
Pebble Clay	E05	E06
Redwood	C19	C18
Rockslide	C11	C10
Sand	066	978

Royal (cont.)	Smooth	PVC
Shamrock	441	441
Silver Mist	C17	C16
Soft Maple	TCK	N98
Sterling	D14	C30
Storm	449	449
Toasted Almond	445	445
Tree Moss	442	442
Urban Bronze	D06	C22
Vintage Cream	D13	C29
Walnut	689	60
Weathered Gray	448	448
Wedgewood	D31	C44
White PT+	280	878
Wicker	E03	E04

Stylecrest	Smooth	PVC
Artisan Clay 🎮	752	R52
Basket Beige	TSA	VSA
Blue Ridge		471
Canyon Brown	169	869
Coffee Bean		474
Classic Sand PT+	050	879
Concord Green		812
Graphite Grey	174	874
Gray Flannel	T41	V41
Hampton Blue	680	N80
Harbor Stone PT+	055	855
Heritage Red	692	N92
Java	689	N75
Keystone	374	V74
Meadow	722	R22
Mountain Pine		441
Musket Brown	309	909
Nutmeg	769	R69
Onyx		472
Pebble Clay 🚧	067	
Providence Yellow		N35
Seagrass	411	V62
Slate Blue	629	N29
Soft Willow	062	865
Summer Wheat	155	930
Sunny Maize	632	N32
Topaz		V17
Twilight	767	R67
Warm Sandalwood	509	809
White Birch	280	878
Woodland	473	

Variform	Smooth	PVC
Autumn Beige		978
Briarwood 🎮	60	
Classic Cream	38	38
Dover White PT+	280	878
Flint	476	B51
Georgian Gray	056	856
Hearthstone		C08
Heritage Linen		VUU
Irish Thistle	TCS	VCS
Iron	D08	C24
Island Pearl 🎮	050	850
Musket Brown	309	909
Natural Almond	745	879
Northern Oak	689	
Old Dublin		441
Rich Mocha 🎮	902	902
Sagebrook	411	V62
Sandtone	750	R50
Sandy Tan	TSA	981
Savannah Blue		B50
Sedona Red 🎮	315	315
Silver Mist	478	P91
Stone Mountain Clay	714	805
Teak	445	445
Twilight Shadow	22	

Wolverine	Smooth	PVC
Ash	056	856
Blue Storm	C15	
Canvas	050	850
Canyon Ridge	903	R69
Carolina Blue	D07	N29
Castle Stone	105	N77
Forest	441	441
Glacier White	478	N84
Grasslands	255	N55
Harbour	907	907
Lakeshore Blue	120	
Marine Blue	137	
Natural Sand	045	981
Redwood	414	R53
Riverstone	685	N85
Rustic Clay	714	805
Rustic Oak	169	869
Sand Drift	TAD	VAD
Smoke Stone	22	22
Smoky Steel	331	449
Tundra Moss	TCS	VCS
Twilight Gray	476	B51
White	280	878

www.colorselectcoil.com



### Aluminum Soffit and Fascia Enhance and Protect The Overhangs On A Home

Our soffit and fascia products complement a home's existing exterior appearance both in color and style, giving homes a beautifully finished look.

AL5CO®

These fabricated products are offered in the Perfect Trim™ Plus color package that includes soffit, drip edge, roof moldings, trim coil and rain carrying systems. Properly installed soffit protects the investment in homes by ventilating the attic and eaves, thus eliminating excess moisture and heat that can damage your roof.

#### **FEATURES & BENEFITS**

- Proper soffit ventilation can save on heating and air conditioning costs
- Prevent mold, mildew, rot and poor indoor air quality
- Available in solid, center vent and full vent configuration
- Ensure your shingle warranty remains valid
- FL approved soffit
- Lifetime Limited Warranty



### **PERFORATED SOFFIT**

For Enhanced Ventilation



**Enhanced Airflow** – Perforated panels boost airflow, leading to lower utility bills and preventing mold and mildew damage. This perforated design offers maximum net free ventilation for optimal attic venting.

**Strong Design** – Built to resist dents from everyday wear and tear, this durable, extra-thick design features a 12" width, helping to prevent sagging and nail exposure.

**Pest Resistant** – The design features a very fine perforated pattern, significantly reducing the likelihood of infestations.

**Minimal Maintenance** – Never needs painting, allowing you to spend more time enjoying your home instead of maintaining it.

**Great Curb Appeal** – Enhance your home's appearance with an attractive shadow line that stands out.


#### **FEATURES & BENEFITS**

- Helps the home breathe
- Available in a broad range of colors
- Backed by a Lifetime Limited Warranty


### DOUBLE SIX PROFILES



Length Per Piece (ft)	12
Pieces Per Carton	16
Cartons Per Pallet	30
Squares	1.92





SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ASVP12	0.019	60	N/A	PT+




VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ALVP12	0.019	60	14.09	PT+

#### Valubilt Double 6" Soffit






SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
AVBS12	0.017	56	N/A	202 Royal Brown ## 280 White ##



AVBL12	0.017	56	14.09	202 Royal Brown ## 280 White ##
VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette

#### Perforated Double 6" Soffit

Length Per Piece (ft)	12	
Pieces Per Carton	16	
Cartons Per Pallet	30	
Squares	12	



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
APERFD6	0.016	56	13.87	PT+


#### PT+ Color Palette

1.17	CULUI I ALELLE				
034	Linen 💇	204	Grecian Green 🚧	902	Cobblestone 💇
050	Beige 🚧	249	Bronze PT+	D26	Charcoal Gray 🖝
055	Gray PT+	253	Terratone 🕶	TAD	Almond PTF
60	Carmel 🕶	280	White PT+	TMK	Musket Brown 🚧
067	Jefferson Tan 🕶	315	Barn Red 🖊		
200	Black 🚧	685	Savannah Wicker 🚧		
202	Roval Brown 🚧	752	Pebblestone Clay PTF		

Reference page 54 to determine the proper amount of ventilation for soffit. All ALSCO  $^\circ$  soffits have a CLASS A FIRE RATING (ASTM E84-01)




### TRIPLE FOUR PROFILES




SOLID PRODUCT CODE:	( )	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4S12	0.019	60	N/A	PT+

Triple 4" Soffit

Length Per Piece (ft)	12
Pieces Per Carton	16
Cartons Per Pallet	30
Squares	1.92



CENTER VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4CV12	0.019	60	3.64	PT+




FULLY VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
T4V12	0.019	60	11.36	PT+

Meets the 2020 Florida Building Code, Approval # FL35145

\*T4S12 (Solid Soffit) does not meet 2020 Florida Building Code.

### ValuBuilt Triple 4" Soffit

Length Per Piece (ft)	12
Pieces Per Carton	16
Cartons Per Pallet	30
Squares	1.92



	3/8",
	Meets the 2020 Florida Building Code, Approval # FL35145
J	*VBT4S12 (Solid Soffit) does not meet 2020 Florida Building Code.

SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VBT4S12	0.017	56	N/A	G
CENTER VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	034 Linen PA 050 Beige PA 200 Black PA 249 Bronze PA
VBT4CV12	0.017	56	3.64	280 White ## 752 Pebblestone
FULLY VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Clay PP 902 Cobblestone PP D26 Charcoal Gray PP
VBT4V12	0.017	56	11.36	TAD Almond PG TMK Musket Brown PG

#### PT+ Color Palette


1111	COLOT T BLELLE				
034	Linen 🚧	202	Royal Brown 🚧	685	Savannah Wicker 🚜
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray PT+	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🚧
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond PTF
200	Black PT+	315	Barn Red 🕶	TMK	Musket Brown 🚧

### QUAD FOUR PROFILES

Quad 4" Soffit-Solid


Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Smuares	1 92





Quad 4" Soffit-Center Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
Q4CV16	0.019	58	8.34	PT+



Meets the 2020 Florida Building Code, Approval # FL35145


#### Quad 4" Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
Q4V16	0.019	58	15.96	PT+



Meets the 2020 Florida Building Code, Approval # FL35145



#### PT+ Color Palette

FIT	CULUI FALELLE				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🖚
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🕶
60	Carmel PTF	253	Terratone 🚧	D26	Charcoal Gray 🚧
067	Jefferson Tan 🛺	280	White 🚧	TAD	Almond PT+
200	Black PT+	315	Barn Red PTF	TMK	Musket Brown PTF

**Note:** All drawings are artist renderings and are not intended to depict actual wood grain texture of products or exact profile.

Reference page H4 to determine the proper amount of ventilation for soffit.

All ALSCO® soffits have a CLASS A FIRE RATING (ASTM E84-01)



### QUAD FOUR / STEALTH PROFILES


Quad 4" Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	12
Cartons Per Pallet	30
Squares	1.92

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
ECNQ4V16	0.014	66	15.96	<b>280</b> White 🚧




Meets the 2020 Florida Building Code, Approval # FL35145




Quad 4" Stealth Soffit-Vented

Length Per Piece (ft)	12
Pieces Per Carton	10
Cartons Per Pallet	30
Squares	1.6



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
A-HV16	0.019	66	8	PT+



- Intelligent design produces a smooth surface, free of visible venting
- Dynamic hidden vents promote continuous airflow
- Easy to handle panels with deep channels for perfect, secure installation

D.	ГΨ	$\Gamma_{\alpha}$	lor	Dal	lette
	т.	υu	LUI	ıaı	

007	11.	000	D ID	/05	0 1 1 1 1
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🎮
050	Beige 🕶	204	Grecian Green 📨	752	Pebblestone Clay 🕶
055	Gray PT+	249	Bronze PTF	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🚧
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond 🚧
200	Black PT+	315	Rarn Red PT+	TMK	Musket Brown PT+

**Note:** All drawings are artist renderings and are not intended to depict actual wood grain texture of products or exact profile.

Reference page H4 to determine the proper amount of ventilation for soffit.


All ALSCO® soffits have a CLASS A FIRE RATING (ASTM E84-01)



### SMOOTH / WOODGRAIN

#### Smooth Fascia


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	50
Cartons Per Pallet (BASL10)	24
Lineal Feet	300



PRODUCT CODE:	X = Height	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BASL4	4"	0.024	46	PT+
BASL6	5-3/4"	0.024	60	FI+
BASL6019	5-3/4"	0.019	43	200 Black ## 202 Royal Brown ## 249 Bronze ## 253 Terratone ## 280 White ## D26 Charcoal Gray TAD Almond ## TMK Musket Brown ##
BASL8	7-3/4"	0.024	74	PT+
BASL8019	7-3/4"	0.019	54	200 Black ## 202 Royal Brown ##
BASL10	9-3/4"	0.024	97	PT+

#### Woodgrain Fascia

Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	50
Cartons Per Pallet (BASL10WG)	24
Lineal Feet	300



PRODUCT CODE:	X = Height	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BASL4WG	4"	0.024	46	PT+
BASL6WG	5-3/4"	0.024	60	ri+
BASL6019WG	5-3/4"	0.019	43	200 Black ## 202 Royal Brown ## 249 Bronze ## 253 Terratone ## 280 White ## D26 Charcoal Gray TAD Almond ## TMK Musket Brown ##
BASL8WG	7-3/4"	0.024	74	PT+
BASL8019WG	7-3/4"	0.019	54	200 Black ## 202 Royal Brown ##
BASL10WG	9-3/4"	0.024	97	PT+

#### PT+ Color Palette


11.1	COLOI I alette				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🕶
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PT+	902	Cobblestone 🕶
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White 🕶	TAD	Almond PT+
200	Black PTF	315	Barn Red 🚧	TMK	Musket Brown 🚧



### ACCESSORY PROFILES




Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	66
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color	
	Thickness (in)	Carton (lbs)	Palette	
BWFJ38	0.019	19	PT+	

3/8" F-Channel for T4/Q4 Soffit


12
25
50
300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
BFR38	0.019	38	PT+

1/2" J-Channel for Double 6" Soffit


Length Per Piece (ft)	12
Pieces Per Carton	25
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AWFJ12	0.019	19	PT+

1/2" F-Channel for Double 6" Soffit


17 Z T OHAIIIIOCTOL DOC	3500	0
Length Per Piece (ft)	12	
Pieces Per Carton	25	
Lineal Feet	300	



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AFR119	0.019	38	PT+

1/2" Double Channel Runner


Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RDCR19	0.019	16	PT+

3/4" Wide Face J-Channel for Vinyl

Length Per Piece (ft)	12
Pieces Per Carton	25
Lineal Feet	300



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
AWFJ34	0.019	22	280 White ##

PT+ Color Palette

1.1.	ootor rutette				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🚧
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White PT+	TAD	Almond PTF
200	Black PTF	315	Barn Red 🕶	TMK	Musket Brown 🕶






Available in a wide range of rich colors, the deep cedar embossed woodgrain texture, and contemporary lowluster finish blend naturally to the architectural style of any home. MERIDIAN vinyl siding by ALSCO® provides a solid foundation for any home's exterior, creating a clean and vibrant look, while increasing a home's value with its proven durability. Maintenance is minimal and repainting is 100% unnecessary. Meridian is manufactured using a unique coloring process that fully penetrates the panel, eliminating worry about scratches or fading.

#### THE MERIDIAN DIFFERENCE

- Deep Cedar Embossed Woodgrain Texture
- Contemporary Low-Luster Finish
- Advanced Insta-Lock System Ensures Panels Remain Firmly in Place
- Enhanced Thickness and Strength so Panels Remain Straight and True
- Secure-Lock Reinforced Nail-Hem withstands Gale-Force Winds
- Limited Lifetime Warranty



### **MERIDIAN** Color Palette



OTAN	DADD
SIAN	IDARD
JIMI	IUMINU

280 280 White 33 Cobblestone 509 Country Beige

CL	Δ	S	r.
GL		וטי	U

17 Stone 714 Sierra 067 Jefferson Tan 174 Storm Gray 255 Cypress

#### **PREMIUM**

767 Twilight 689 Timber Blend 374 Keystone

#### **ELITE**

253 Terratone 692 Richmond Red 680 Hampton Blue

### MERIDIAN VINYL SIDING

40 FORTY .040 Thickness Double 4.5 inch Dutchlap

Length Per Piece (ft)	12' 1"
Pieces Per Carton	22
Cartons Per Pallet	16
Squares Per Carton	2




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)		Color Palette
VJ-V040D45DL	0.040	83.99	STA	ANDARD
			280 33	280 White Cobblestone

**CLASSIC** 714 Sierra

42 FORTY .042 Thickness Double 4 inch


Length Per Piece (ft)	12' 6"
Pieces Per Carton	24
Cartons Per Pallet	20
Squares Per Carton	2



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
VJ-V042D4	0.042	92.55	STANDARD
			CLASSIC Premium

42 FORTY .042 Thickness Double 4.5 inch Dutchlap

Length Per Piece (ft)	12' 1"
Pieces Per Carton	22
Cartons Per Pallet	16
Squares Per Carton	2



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette	
VJ-V042D45DL	0.042	89.05	STANDARD	
			CLASSIC Premium	

**STANDARD** 

280 White 33 Cobblestone 509

Country Beige

**CLASSIC** 17

255

Stone 714 Sierra 067 174

Jefferson Tan Storm Gray Cypress

**PREMIUM** 

767 Twilight 689 Timber Blend 374 Keystone

**ELITE** 

253 Terratone Richmond Red 692 680 Hampton Blue




### MERIDIAN VINYL SIDING

44 FORTY .044 Thickness Double 4 inch


Length Per Piece (ft)	12' 6"
Pieces Per Carton	24
Cartons Per Pallet	20
Squares Per Carton	2





### **44** FORTY .044 Thickness Double 5 inch

Length Per Piece (ft)	12'
Pieces Per Carton	20
Cartons Per Pallet	15
Squares Per Carton	2



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
VJ-V044D5	0.044	91.17	STANDARD CLASSIC
			17 Stone 714 Sierra 067 Jefferson Tan
			PREMIUM 767 Twilight 374 Keystone

SI	ΆN	In/	۱R	n	
U	AI.	וטו	w	ע	

280 280 White33 Cobblestone509 Country Beige

CLASSIC

17 Stone
714 Sierra
067 Jefferson

067 Jefferson Tan 174 Storm Gray 255 Cypress

#### **PREMIUM**

767 Twilight689 Timber Blend374 Keystone

#### **ELITE**

253 Terratone692 Richmond Red680 Hampton Blue




### **ACCESSORIES**



### MERIDIAN VINYL SIDING

5/8" J-Channel


Length Per Piece (ft)	12′ 6"
Pieces Per Carton	40
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V5/8J	47.21	STANDARD
		CLASSIC PREMIUM
		FLITE

1-1/8" J-Channel


Length Per Piece (ft)	12′6"
Pieces Per Carton	24
Lineal Feet	300



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V11/8J	40.18	STANDARD CLASSIC PREMIUM
		ELITE

Finish Trim


Length Per Piece (ft)	12′6"
Pieces Per Carton	40
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
V-VUSM	40.72	STANDARD
		CLASSIC
		PREMIUM
		ELITE

Double Utility Trim


Length Per Piece (ft)	12′6"
Pieces Per Carton	25
Lineal Feet	312.5



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-VDUSM	54.66	STANDARD
		CLASSIC Premium
		ELITE

Inside Corner Post: 1-3/8" Face | 3/4" Receiver


Length Per Piece (ft)	10′
Pieces Per Carton	10
Lineal Feet	100



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-VICP	21.20	STANDARD CLASSIC PREMIUM ELITE

4" Outside Corner Post: 3/4" Receiver

Length Per Piece (ft)	12′
Pieces Per Carton	10
Lineal Feet	120



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VE-V4OCP	53.09	STANDARD
		CLASSIC PREMIUM
		FIITE

**STANDARD** 

33

280 White 714

Cobblestone 509 Country Beige **CLASSIC** 17

067

174

255

Stone Sierra

Jefferson Tan Storm Gray Cypress

**PREMIUM** 

767 Twilight 689 Timber Blend 374 Keystone

ELITE


253 Terratone 692 Richmond Red 680 Hampton Blue



### MERIDIAN VINYL SOFFIT




Length Per Piece (ft)	12′
Pieces Per Carton	20
Cartons Per Pallet	15
Squares	2



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V10.038SS	0.038	75.73	N/A	<b>280</b> White
VA-V10.040SS	0.040	85.49	N/A	280 White

10" Vinyl Soffit - Fully Vented


Length Per Piece (ft)	12′
Pieces Per Carton	20
Cartons Per Pallet	15
Squares	2



VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V10.038FV	0.038	75.57	3.8	<b>280</b> White
VA-V10.040FV	0.040	82.25	3.8	280 White

12" Vinyl Soffit - Solid


Length Per Piece (ft)	12′
Pieces Per Carton	16
Cartons Per Pallet	15
Squares	1.92



SOLID PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V12SS	0.040	81.57	N/A	STANDARD
				CLASSIC PREMIUM ELITE

12" Vinyl Soffit - Fully Vented

Length Per Piece (ft)	12′
Pieces Per Carton	16
Cartons Per Pallet	15
Squares	1.92



VENTED PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Net Free Air Space (sq in/lin ft)	Color Palette
VA-V12FV	0.040	80.11	4.0	STANDARD
				CLASSIC PREMIUM ELITE

**STANDARD** 

280 280 White33 Cobblestone509 Country Beige

**CLASSIC** 

17 Stone 714 Sierra 067 Jefferson Tan

174 Storm Gray

255 Cypress

**PREMIUM** 

767 Twilight689 Timber Blend374 Keystone

**ELITE** 


253 Terratone692 Richmond Red680 Hampton Blue



### MERIDIAN VINYL ACCESSORIES

1/2" J-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	40
Cartons Per Pallet	
Lineal Feet	500



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VJ1/2	50.81	STANDARD
		CLASSIC
		PREMIUM
		ELITE

Frieze Runner - F-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VF1/2	23.22	STANDARD
		CLASSIC
		PREMIUM
		ELITE

5/8" T-Channel (Vinyl)


Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VT5/8	51	280 White

1/2" T-Channel (Vinyl)

. , ,	
Length Per Piece (ft)	12′6"
Pieces Per Carton	20
Cartons Per Pallet	
Lineal Feet	250



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
VC-VT1/2	48.73	<b>280</b> White

**STANDARD** 

280 White 33 Cobblestone Country Beige **CLASSIC** 17

714

067

255

Stone Sierra Jefferson Tan 174

Storm Gray Cypress

**PREMIUM** 

767 Twilight 689 Timber Blend 374 Keystone

**ELITE** 

253 Terratone 692 Richmond Red 680 Hampton Blue




## **ALUMINUM SIDING** Lasting Protection and Curb Appeal Buying or building your home is not only a major milestone but it is likely the largest investment that you will ever make. And, perhaps no other building material plays as key a role in your home as siding. That is why ALSCO® has engineered high-quality aluminum siding that will protect your home from the elements, optimize its appearance, architectural character, and value. **FEATURES & BENEFITS** • Peace of Mind in knowing it will withstand temperature extremes, snow, rain and hail Security because our no-nonsense warranty protects against fading, peeling, chipping or blistering • Comfort in knowing it's virtually maintenance free and resistant to dents and scratches Pride of ownership with aluminum siding's sleek and clean lines and look of natural wood Satisfaction from choosing a siding that's 100% recyclable

### ALUMINUM SIDING

#### 8" Woodgrain Siding

Length Per Piece (ft)	12'6"
Pieces Per Carton	24
Cartons Per Pallet	24
Lineal Feet	300


PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
J-8HT	0.019	64	1 Snowmist 280 White



#### 8" Smooth Siding

Length Per Piece (ft)	12'6"
Pieces Per Carton	24
Cartons Per Pallet	24
Lineal Feet	300

PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
J-8HS019	0.019	64	1 Snowmist 280 White






### ALUMINUM SIDING ACCESSORIES

#### 3/4" J Channel


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	36
Lineal Feet	300



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-E12	16	1 Snowmist <b>280</b> White

#### 1-1/8" J Channel


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	36
Lineal Feet	300




PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-E18	21	1 Snowmist 280 White

#### 1" Woodgrain Outside Corner Post

Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100







PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-OCP1T	24	1 Snowmist 280 White

#### 1" Smooth Outside Corner Post

Length Per Piece (ft)	10
Pieces Per Carton	10
Lineal Feet	100






PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-OCP1	24	1 Snowmist 280 White

#### **Undersill Molding**


Length Per Piece (ft)	12
Pieces Per Carton	25
Cartons Per Pallet	40
Lineal Feet	300



PRODUCT	Weight Per	Color
CODE:	Carton (lbs)	Palette
E-USM	18	1 Snowmist <b>280</b> White

#### Individual Outside Corner

Length Per Piece (in)	8
Pieces Per Carton	100
Cartons Per Pallet	40



	PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
Smooth	E-IC	8	1 Snowmist
Woodgrain	E-ICT	8	280 White




### STARTER STRIPS

#### **Starter Strip**

(for standard butt alum/vinyl)


Length Per Piece (ft)	10
Pieces Per Carton	50
Cartons Per Pallet	36
Lineal Feet	500



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RASV	0.019	30	N/A

Starter Strip (for narrow butt vinyl)


( ) /	
Length Per Piece (ft)	10
Pieces Per Carton	50
Cartons Per Pallet	36
Lineal Feet	500



RSSAV5	0.019	29	N/A
PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette

Starter Strip (for wide butt vinyl)


Length Per Piece (ft)	10
Pieces Per Carton	50
Cartons Per Pallet	36
Lineal Feet	500



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RSSAV	0.019	29	N/A

#### Steel Starter Strip - 3"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24



S-STEELSS3	54	N/A
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette

#### Steel Starter Strip - 4"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24






PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
S-STEELSS4	67	N/A

#### Steel Starter Strip - 2-1/4"

Length Per Piece (ft)	10
Pieces Per Carton	25
Cartons Per Pallet	24





S-STEELSSV	43	N/A
PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette





### **PARADIGM™ SIDING** Color Palette



Colors shown are approximate. Colors may look different on a house compared to print. Please visit your local distributor to see colors in person.


## **SIDING**

## PARADIGM™ STEEL SIDING

### **DOUBLE 4"** FOUR INCH

Non-Insulated - Woodgrain Finish

Length Per Piece (ft)	12' 6"
Pieces Per Carton	12
Cartons Per Pallet	36
Squares Per Carton	1




PRODUCT CODE:	Nominal Thickness	Weight Per Carton (lbs)
S-SD4HTR	28 Gauge	97

### **DOUBLE 5" FIVE INCH**

Non-Insulated - Woodgrain Finish


Length Per Piece (ft)	12'
Pieces Per Carton	10
Cartons Per Pallet	36
Squares Per Carton	1



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)
S-SD5HTR	28 Gauge	90

### **DOUBLE 5" DUTCHLAP** FIVE INCH Non-Insulated - Woodgrain Finish


Length Per Piece (ft)	12'	
Pieces Per Carton	10	
Cartons Per Pallet	36	
Squares Per Carton	1	



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)
S-SD5DLHTR	28 Gauge	90

## **6"** SIX INCH Non-Insulated Woodgrain Finish

Length Per Piece (ft)	12' 6"
Pieces Per Carton	16
Cartons Per Pallet	20
Squares Per Carton	1



PRODUCT CODE:	Nominal Thickness	Weight Per Carton (lbs)
S-S6HTMR	28 Gauge	105

### PARADIGM™ COLORS

FAINA	DIGIN COLONS						
90R	Granite Gray	94R	Antique Almond	98R	Mountain Sage	R92	Sand Dune
91R	Bronze	95R	Chocolate Brown	99R	Willow	R01	White Dove
92R	Iron Gray	96R	Royal Brown	R90	Deep Ocean	R02	Warm Taupe
93R	Ember Gray	97R	Cobble Stone	R91	Timber	R03	Boothbay Blue




## **SIDING**

## PARADIGM™ STEEL SIDING

## **8"** EIGHT INCH Non-Insulated Woodgrain Finish

12' 6"
24
36
1




PRODUCT CODE:	Nominal Thickness	Weight Per Carton (lbs)
S-S8HTMR	28 Gauge	96

### 12" TWELVE INCH

Vertical Board & Batten Board Woodgrain Finish

3	
Length Per Piece (ft)	10'
Pieces Per Carton	10
Cartons Per Pallet	21
Squares Per Carton	1




PRODUCT CODE:	Nominal Thickness	Weight Per Carton (lbs)	
S-SVTR	28 Gauge	88	

## **ACCESSORIES**

### 10-5/8"

Steel Siding Coil

Min. Weight	630 lbs
Avg. Weight (1180 ft)	700 lbs
Coil Per Pallet	1




PRODUCT CODE:	Nominal Thickness (in)	Weight (lbs)
S-SKIDR	28 Gauge	700

### 13-1/4"

Steel Siding Coil


Min. Weight	630 lbs
Avg. Weight (900 ft)	700 lbs
Coil Per Pallet	1



PRODUCT CODE:	Nominal Thickness (in)	Weight (lbs)
S-SKIDXR	28 Gauge	700

### 3/4" J-Channel

Length Per Piece (ft)	12´
Pieces Per Carton	25
Lineal Feet	300
Cartons Per Pallet	40



S-SE12R	45
PRODUCT CODE:	Weight Per Carton (lbs)

### PARADIGM™ COLORS

FAINA	DIGH COLONS						
90R	Granite Gray	94R	Antique Almond	98R	Mountain Sage	R92	Sand Dune
91R	Bronze	95R	Chocolate Brown	99R	Willow	R01	White Dove
92R	Iron Gray	96R	Royal Brown	R90	Deep Ocean	R02	Warm Taupe
93R	Ember Grav	97R	Cobble Stone	R91	Timber	R03	Boothbay Blue




## ACCESSORIES //

## PARADIGM™ STEEL SIDING




Length Per Piece (ft)	12´
Pieces Per Carton	25
Lineal Feet	300
Cartons Per Pallet	40



PRODUCT CODE:	Weight Per Carton (lbs)
S-E18R	54

**Undersill Trim** 

Length Per Piece (ft)	12′
Pieces Per Carton	25
Lineal Feet	300
Cartons Per Pallet	55




PRODUCT CODE: Weight Per Carton (lbs)

S-SUSR 44

1" Outside Corner Post 28 Gauge, Woodgrain Finish


Length Per Piece (ft)	10′
Pieces Per Carton	10
Lineal Feet	100
Cartons Per Pallet	21



PRODUCT CODE: Weight Per Carton (lbs)

2 Piece Corner Post & Base Woodgrain Finish

Length Per Piece (ft)	10´
Pieces Per Carton	10



PRODUCT CODE:	Weight Per Carton (lbs)
S-SBS247TR + S-SCPB	48

### PARADIGM™ COLORS

IDIGIT GOLORO						
Granite Gray	94R	Antique Almond	98R	Mountain Sage	R92	Sand Dune
Bronze	95R	Chocolate Brown	99R	Willow	R01	White Dove
Iron Gray	96R	Royal Brown	R90	Deep Ocean	R02	Warm Taupe
Ember Gray	97R	Cobble Stone	R91	Timber	R03	Boothbay Blue
	Granite Gray Bronze Iron Gray	Granite Gray 94R Bronze 95R Iron Gray 96R	Granite Gray 94R Antique Almond Bronze 95R Chocolate Brown Iron Gray 96R Royal Brown	Granite Gray 94R Antique Almond 98R Bronze 95R Chocolate Brown 99R Iron Gray 96R Royal Brown R90	Granite Gray 94R Antique Almond 98R Mountain Sage Bronze 95R Chocolate Brown 99R Willow Iron Gray 96R Royal Brown R90 Deep Ocean	Granite Gray 94R Antique Almond 98R Mountain Sage R92 Bronze 95R Chocolate Brown 99R Willow R01 Iron Gray 96R Royal Brown R90 Deep Ocean R02







ALSCO® Building Products offers a complete line of aluminum roof molding accessories that facilitate adequate rain water run-off for any residential roofscaping.

Our roof molding products are designed to channel water away from the underlying wood construction. This provides efficient watershedding at the eaves, a barrier which protects the vulnerable wooden areas of your home from potential water damage.

### FEATURES & BENEFITS

- Helps prevent water and ice damage at roof edge
- Available in a broad range of colors
- Protects underlying wood rotting
- Backed by a Lifetime Limited Warranty


### Check out our extensive line of roof accessories:

- Roll Valley
- W Valley Flashing
- Pre-cut Flat Flashings
- Pre-formed Step Flashings

## OVERHANGING "F" DRIP EDGE

F Drip Edge 4.5"

Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	20




PRODUCT CODE:	Nominal Thickness (in)	Color Palette	
D-ODESL	0.019	45	PT+
D-ODESL50*	0.019	50	PT+
D-ODETSL*	0.017	42	200 Black ## 202 Royal Brown ##
*Available as 50 nie		280 White 📨	

### F Drip Edge 4.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM1	RRM1 0.019 54		PT+
BRM1	0.017	52	200 Black PF 202 Royal Brown PF
			280 White ##



### F Drip Edge 4.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20




PRODUCT CODE:  EVD4.5	Thickness (in)  0.019	Carton (lbs)	Palette  200 Black PA
EVD4.J	U.U17	47	202 Royal Brown ##

PI+	Color Palette				
034	Linen PT+	202	Royal Brown 🚧	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay P
055	Gray 🚧	249	Bronze 🚧	902	Cobblestone 瘫
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🛲
067	Jefferson Tan 🚧	280	White 🎮	TAD	Almond 🚧
200	Black 🚧	315	Barn Red 🕶	TMK	Musket Brown 🕶

## OVERHANGING "F" DRIP EDGE

F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM18	0.019	48	PT+
BRM114	0.017	38	200 Black ## 202 Royal Brown ##
			280 White ##

### F Drip Edge 5" (1.50DET4410)


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
1.50DET4410	0.017	46	PT+

### F Drip Edge 5" (1.50DET4412)

Length Per Piece (ft)	12'
Pieces Per Carton	25
Cartons Per Pallet	20




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
1.50DET4412	0.017	55	200 Black ## 202 Royal Brown ##
			280 White ##

034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker 🙉
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🎮	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel PTF	253	Terratone 🛺	D26	Charcoal Gray 🛺
067	Jefferson Tan 🛺	280	White 🕶	TAD	Almond PT+
200	Black PT+	315	Barn Red 🕶	TMK	Musket Brown 🚧

## OVERHANGING "F" DRIP EDGE

### F Drip Edge 5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ODE112	0.019	55	PT+
BRM112*	0.017	48	PT+


<sup>\*</sup> BRM112 features a 3/4" Nose.

### F Drip Edge 5" (D-ODE)

Length Per Piece (ft)	12'
Pieces Per Carton	25
Cartons Per Pallet	42

### F Drip Edge 5" (D-ODE10)

Length Per Piece (ft)	10'	
Pieces Per Carton	50	
Cartons Per Pallet		




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
D-ODE	0.019	37	PT+

PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
D-ODE10	0.019	55	200 Black ## 202 Royal Brown ## 280 White ##

### F Drip Edge 5" (1.750DET4410)


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	42



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
1.750DET4410	0.017	48	PT+

### F Drip Edge 5" (1.750DET4412)

Length Per Piece (ft)	12'
Pieces Per Carton	25
Cartons Per Pallet	42




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
1.750DET4412	0.017	34	200 Black PP 202 Royal Brown PP
			280 White 🕾

1.1.1	COLOI I ALCILE				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay ?
055	Gray PTF	249	Bronze PTF	902	Cobblestone 🕶
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🛺
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond PT+
200	Black PT+	315	Barn Red PT+	TMK	Musket Brown 🚧

## OVERHANGING "F" DRIP EDGE

### F Drip Edge 5"


Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
SBRDE1.5	0.019	54	PT+

### F Drip Edge 5.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
BODE15	0.019	55	PT+

### F Drip Edge 5.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ODEXTL	0.019	63	200 Black PF 202 Royal Brown PF
			280 White ##

### F Drip Edge 5.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
BRM134	0.017	43	200 Black ## 202 Royal Brown ##
			280 White 274

1.1.1	COLOI I ALCILE				
034	Linen PT+	202	Royal Brown 🚧	685	Savannah Wicker 🎮
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay 🚜
055	Gray PTF	249	Bronze PT+	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🚧
067	Jefferson Tan 瘫	280	White 🚧	TAD	Almond PT+
200	Black PT+	315	Barn Red PT+	TMK	Musket Brown PT+

## OVERHANGING "F" DRIP EDGE

### F Drip Edge 5.5"


Length Per Piece (ft)	10'	
Pieces Per Carton	50	



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM5.50P	0.019	60	PT+
BRM5.50P	0.017	48	PT+

### F Drip Edge 6"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM22	0.019	61	PT+

### F Drip Edge 8"


Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	30
Cartons Per Pallet	30



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRMF8	0.017	43	PT+

### F Eave Edge 3"

Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
S-S3X3EDH (STEEL)	28 Gauge	86	PT+
3X3ED (ALUMINUM)	.019	61	PT+


FIT	CULUI FALELLE				
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay Pr
055	Gray 🚧	249	Bronze PTF	902	Cobblestone 🛺
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🕶
067	Jefferson Tan 瘫	280	White 🚧	TAD	Almond PFF
200	Black PT+	315	Barn Red 🚧	TMK	Musket Brown 🕶



## OVERHANGING "C" DRIP EDGE

### C Drip Edge 3"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM3	0.019	35	200 Black ## 202 Royal Brown ## 280 White ##
BRM3	0.017	33	200 Black ## 280 White ##

### C Drip Edge 3.5"


Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM3.5	0.019	39	PT+

### C Drip Edge 4"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE: Nominal Thickness (in)		Weight Per Carton (lbs)	Color Palette
RRM4	0.019	42	PT+

### C Drip Edge 4.5"

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30




PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette 200 Black
KKM43	0.019	33	202 Royal Brown 🕾
			280 White PT+

••••					
034	Linen PT+	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay
055	Gray PT	249	Bronze 🚧	902	Cobblestone 🛺
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 🕶
067	Jefferson Tan 🛺	280	White 🚧	TAD	Almond PFF
200	Black 🚧	315	Barn Red 🕶	TMK	Musket Brown 🚧

## OVERHANGING "C" DRIP EDGE

### C Drip Edge 5"


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM5	0.019	52	200 Black PF 202 Royal Brown PF
			280 White 🕶

### C Drip Edge 6" (RRM6)

Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM6	0.019	65	200 Black #
RRM6H	0.024	90	202 Royal Brown ## 280 White ##

### C Drip Edge 6" (RRM6H)


Length Per Piece (ft)	10'
Pieces Per Carton	50
Cartons Per Pallet	30



## STEEL "G" DRIP EDGE

### G Drip Edge 3"x 3"


Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (gauge)	Carton (lbs)	Palette
S-S3X3G6	28	90	200 Black ## 202 Royal Brown ## 280 White ##

### G Drip Edge 4"x 2"

Length Per Piece (ft)	10'
Pieces Per Carton	25
Cartons Per Pallet	20



PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
S-S4X2G6	28	90	200 Black ## 202 Royal Brown ##
			253 Terratone ## 280 White ##


CULUI	ratette FI+				
034	Linen 🚧	202	Royal Brown 🚧	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🛲	752	Pebblestone Clay Pr
055	Gray PT+	249	Bronze PT+	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🚧	D26	Charcoal Gray 瘫
067	Jefferson Tan 🚧	280	White 🚧	TAD	Almond PT
200	Black PT+	315	Barn Red PT+	TMK	Musket Brown 🕶



## ALUMINUM DRIP CAPS

### 1" Aluminum Drip Cap


Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-DC1	0.019	20	PT+

### 1-1/8" Aluminum Drip Cap


Length Pe	er Piece (ft)	10'
Pieces Pe	r Carton	50



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-DC11/8	0.019	30	PT+

### 1-1/2" Aluminum Drip Cap

Length Per Piece (ft)	10'
Pieces Per Carton	50






PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
E-DC11/2	0.019	30	PT+

### 1 1/2" Drip Cap

Length Per Piece (ft)	10'
Pieces Per Carton	50




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RADC15	0.019	30	PT+

CULU	I latette i i i				
034	Linen PT+	202	Royal Brown 🚧	685	Savannah Wicker 🗖
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay 🚧
055	Gray 🚧	249	Bronze PT+	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White ##	TAD	Almond PT+
200	Black PT+	315	Barn Red 🕶	TMK	Musket Brown 🕶

## FIBER CEMENT / WALL FLASHING

### Z Wall Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
E-3/8Z	0.019	15	200 Black ## 202 Royal Brown ## 253 Terratone ##
			280 White ## TMK Musket Brown ##

### Roof to Wall Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	10



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
E-RTW	0.024	19	<b>200</b> Black ##
			202 Royal Brown PA 253 Terratone PA 280 White PA


## **FLASHING**



## GRAVEL STOPS

### Gravel Stop 3"


Length Per Piece (ft)	12'
Pieces Per Carton	25




PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
GS3	0.019	31	200 Black PP 202 Royal Brown PP 253 Terratone PP 280 White PP
GS4	0.019	52	200 Black ## 202 Royal Brown ## 280 White ##

### Gravel Stop 4"

Length Per Piece (ft)	12'
Pieces Per Carton	25






COLO	Tutotto I I '				
034	Linen 🚧	202	Royal Brown 🕶	685	Savannah Wicker
050	Beige 🚧	204	Grecian Green 🚧	752	Pebblestone Clay Pr
055	Gray 🚧	249	Bronze 🚧	902	Cobblestone 🚧
60	Carmel 🚧	253	Terratone 🕶	D26	Charcoal Gray 🕶
067	Jefferson Tan 🕶	280	White PTF	TAD	Almond 277
200	Black PT+	315	Barn Red 🚧	TMK	Musket Brown 🛲

## DECK & BRICK FLASHING

### 1-1/2" Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ADF112	.019	43	200 Black 77 202 Royal Brown 77
			253 Terratone PP 280 White PP 752 Pebblestone Clay PP TMK Musket Brown PP

### 1-5/8" Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	25



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
ADF158	.019	25	200 Black ##- 202 Royal Brown ##-
			253 Terratone ## 280 White ## 752 Pebblestone Clay ## TMK Musket Brown ##

### Aluminum Brickledge and Deck Flashing


Length Per Piece (ft)	10'
Pieces Per Carton	50



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
K-BL	.019	80	200 Black ## 202 Royal Brown ## 253 Terratone ## 280 White ## 752 Pebblestone Clay ## TMK Musket Brown ##

### Aluminum Andersen Brick Molding

Length	Per	Piece	(ft)	12'
Pieces	Per	Cartor	1	20



PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
K-BS208	.019	31	PT+

034	Linen <i>PF</i>	202	Royal Brown ##	685	Savannah Wicker 777
050	Beige <i>PF</i>	204	Grecian Green ##	752	Pebblestone Clay 777
055	Gray <i>PF</i>	249	Bronze ##	902	Cobblestone 777
60 067 200	Carmel ## Jefferson Tan ## Black ##	253 280 315	Terratone ## White ## Barn Red ##	D26 TAD TMK	Charcoal Gray PA Almond PA Musket Brown PA


## RAKE ANGLE


Rake Angle 1 3/8" Face

Length Per Piece (ft)	10'
Pieces Per Carton	50

Rake Angle 1 3/8" Face Light

Length Per Piece (ft)	10'
Pieces Per Carton	50






PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
RRM35	0.019	28	200 Black ## 280 White ##
C35	0.017	25	200 Black ## 280 White ##

### **FLASHING**

Drip Apron 2" Face

Length Per Piece (ft)	10'
Pieces Per Carton	30
Cartons Per Pallet	20



## EXTERIOR CLADDING

PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM40	0.019	32	034 Linen ## 200 Black ## 202 Royal Brown ## 253 Terratone ## 280 White ## 752 Pebblestone Clay ## D26 Charcoal Gray ## TAD Almond ## TMK Musket Brown ##


PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM50	0.019	32	PT+

\*RRM50 is available in 50 pieces per carton.

RRM40REV 0.019 32 *Painted reverse side.		200 Black ## 202 Royal Brown ##	
PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette

Siders Edge

Length Per Piece (ft) 12'
Pieces Per Carton 25




PRODUCT CODE:	Nominal	Weight Per	Color
	Thickness (in)	Carton (lbs)	Palette
RRM60	0.019	25	034 Linen ## 200 Black ## 202 Royal Brown ## 253 Terratone ## 280 White ## 752 Pebblestone Clay ## D26 Charcoal Grey ## TAD Almond ## TMK Musket Brown ##

## EXTERIOR CLADDING

### Steel Dormer Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	10



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)
S-SDORMF10	0.019	63

## **FLASHING**




## COUNTER FLASHING

### **Counter Flashing**

Length Per Piece (ft)	10'
Pieces Per Carton	25





PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
CNTRFLSH (ALUMINUM)	0.032	75	200 Black ## 280 White ##
S-SCNTRFLSH (STEEL)	28	108	200 Black ## 280 White ##


## **FLASHING**




## HEADWALL FLASHING

### Headwall Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	25






PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
HWALL024 (ALUMINUM)	0.024	88	200 Black ## 280 White ##
S-SHWALL (STEEL)	26	175	200 Black ## 280 White ##

### Extended Leg Flashing

Length Per Piece (ft) 10'
Pieces Per Carton





PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
4X4EXTL	0.024	29	Mill 200
4X4EXTLH	0.024	30	Mill 200



Wall Tray Flashing

Length Per Piece (ft)	10'
Pieces Per Carton	25





PRODUCT CODE:	Nominal Thickness (gauge)	Weight Per Carton (lbs)	Color Palette
WTRAY024 (ALUMINUM)	0.024	88	200 Black ## 280 White ##
S-SWTRAY (STEEL)	26	175	200 Black ## 280 White ##

### ROOF FLASHING PROFILES

45

45

45

45

22 / 22

10 / 10

10 / 10

18 / 18


Υ

100

100

100

100



### W Valley

Galvanized Steel Flat Shingle

Galvanized Steel Step Flashing

Steel W Valley	S14X10WV	14	10	30	50	-	351 / 370	Υ
Heavy Gauge Steel W Valley	S14X10WVH	14	10	28	50	-	420 / 442	Υ
Steel W Valley	S18X10WV	18	10	30	50	-	439 / 463	Υ
Heavy Gauge Steel W Valley	S18X10WVH	18	10	28	50	-	525 / 555	Υ
Steel W Valley	S20X10WV	20	10	30	50	-	483 / 509	Υ
Heavy Gauge Steel W Valley	S20X10WVH	20	10	28	50	-	580 / 6 12	Υ
Steel W Valley	S22X10WV	22	10	30	50	-	526 / 555	Υ
Heavy Gauge Steel W Valley	S22X10WVH	22	10	28	50	-	633 / 669	Υ
Steel W Valley	S24X10WV	24	10	30	50	-	570 / 602	Υ
Heavy Gauge Steel W Valley	S24X10WVH	24	10	28	50	-	686 / 725	Υ

8

6

2.5

4

8

12

7

8

26

26

26

26

### **Color Palette Y**

Mill / Galvanized

200 Black PF 202 Royal Brown PF

253 Terratone PT 280 White PT

S8X8GFS

S6X12GFS

S4X4X8GSF

S2.5X2.5X7GSF



## ROLL VALLEY

	PRODUCT CODE:	Width (in)	Length (ft)	Nominal Thickness (ga. or in.)	Cartons Per Skid	Weight Per Carton (lbs)	Color Palette
Aluminum Roll Valley	10X50RV	10	50	.012	<b>75</b>	7	Mill
Aluminum Roll Valley	10X25RV	10	25	.012	<b>75</b>	4	Mill
Aluminum Roll Valley	14X50RV	14	50	.012	50	10	Mill
Aluminum Roll Valley	14X25RV	14	25	.012	50	5	Mill
Aluminum Roll Valley	18X50RV	18	50	.012	50	13	Mill
Aluminum Roll Valley	18X25RV	18	25	.012	50	7	Mill
Aluminum Roll Valley	20X50RV	20	50	.012	25	14	Mill
Aluminum Roll Valley	20X25RV	20	25	.012	25	8	Mill
Aluminum Roll Valley	24X50RV	24	50	.012	25	17	Mill
Aluminum Roll Valley	24X25RV	24	25	.012	25	9	Mill
Steel Roll Valley	S6X50RV	6	50	28	100	13	Gal.
Steel Roll Valley	S8X50RV	8	50	28	100	18	Gal.
Steel Roll Valley	S10X50RV	10	50	28	75	22	Gal.
Steel Roll Valley	S10X25RV	10	25	28	75	11	Gal.
Steel Roll Valley	S12X50RV	12	50	28	100	25	Gal.
Steel Roll Valley	S14X50RV	14	50	28	50	30	Gal.
Steel Roll Valley	S16X50RV	16	50	28	75	33.5	Gal.
Steel Roll Valley	S18X50RV	18	50	28	50	40	Gal.
Steel Roll Valley	S20X50RV	20	50	28	25	44	Gal.
Steel Roll Valley - Builders	SB20X50RV	20	50	30	25	37	Gal.
Steel Roll Valley	S24X50RV	24	50	28	25	53	Gal.
Steel Roll Valley - Builders	SB24X50RV	24	50	30	25	44	Gal.
Steel Roll Valley	S28X50RV	28	50	28	25	59	Gal.
Steel Roll Valley	S30X50RV	30	50	28	25	63	Gal.
Steel Roll Valley	S36X50RV	36	50	28	25	75	Gal.


## **ALSCO® ALUMINUM RAINWARE ACCESSORIES**

### DESIGNED TO WORK TOGETHER

ALSCO® rainware products are designed to stand up to the harshest conditions, snow and ice. The system directs moisture away from the walls and the foundation. It is easy to install because it's engineered to fit right the first time.

ALSCO's® rainware products feature an exclusively formulated coating system called GUTTER-TUFF®. This superior coating system is designed for the demands of roll forming equipment while maintaining excellent formability and strength.

ALSCO® rainware components are part of the Perfect Trim™ Plus color palette that allows you to create a custom trim package that will match perfectly and coordinate with any style home.




## BOX & STRIP MITER PROFILES




Inside Box Miter 5INM, 6INM



Outside Box Miter 50TM, 60TM




Inside Strip Miter 5ISM, 6ISM



Outside Strip Miter 50SM, 60SM



Inside Bay Strip Miter 5BIS, 6BIS



Outside Bay Strip Miter 5BOS, 6BOS

		PRODUCT CODE:	Nominal Thickness (in)	Pieces Per Carton	Angle	Weight Per Carton (lbs)	Color Palette	
	Inside Box Miter	5INM	0.019	20	N/A	7		
	Outside Box Miter	50TM	0.019	20	N/A	7	u	
5" Profiles	Inside Strip Miter	5ISM	0.027	20	N/A	3	Н	
	Outside Strip Miter	50SM	0.027	20	N/A	3		
	Inside Bay Strip Miter	5BIS	0.027	20	45°	4	202 Royal Brown 707 TWK 30° White TWL 80° White	
	Outside Bay Strip Miter	5BOS	0.027	20	45°	4		

Inside Box Miter  Outside Box Miter  Inside Strip Miter  Outside Strip Miter  Inside Bay Strip Miter  Outside Bay Strip Miter	Inside Box Miter	6INM	0.019	20	N/A	13	
	Outside Box Miter	60TM	0.019	20	N/A	11	
	Inside Strip Miter	6ISM	0.027	20	N/A	4	Н
	Outside Strip Miter	60SM	0.027	20	N/A	4	
	Inside Bay Strip Miter	6BIS	0.027	20	45°	5	202 Royal Brown PT
	Outside Bay Strip Miter	6BOS	0.027	20	45°	5	TWK 30° White TWL 80° White

### Color Palette H

034 Linen PF 050 Beige 🕶 055 Gray PT+ 060 Carmel 🛺 Jefferson Tan 🛲 200 Black 🚧 202 Royal Brown 🚧

204 Grecian Green 🕶 249 Bronze 🎮 250 Musket Brown 🕾 253 Terratone PTF 315 685

Savannah Wicker 🕶 752 Pebblestone Clay PTF 902 Cobblestone 🕶

Barn Red 🙉

D26 Charcoal Gray PTF TAD Almond 💯 TMK Musket Brown 📨

TWK 30° White TWL 80° White

### **RAINWARE**



### ACCESSSORIES

### 5" End Caps


Dinene	Per Carton	50
LIELES	TEI Udillii	JU



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette	
5ENL	0.019	3		
5ENR	0.017	J		
6ENL	0.010	,	Н	
6ENR	0.019	4		

### 6" End Caps

Pieces	Dor	Cartan	5	n
6101.00	PHI	Lariiii	71	



### 2"x 3" Rectangular Outlet

Pieces	Per	Carton	30
116663	1 61	Garton	JU

### 3"x 4" Rectangular Outlet


D:	D	C	ГΩ
rieces	rer	Carton	ກມ



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
OUT23000	0.019	2	MILL
OUT34000	0.019	4	MILL

### 3"x 4" Oval Outlet


Pieces Per Carton



OVAL340	00	0.019	4	MILL
PRODUCT COD	E:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette

### Universal Downspout Pipe Band

Pieces Per Carton 100



PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
PB23	0.019	4	Н

### Universal T-Strap (Roof Strap)

Pieces Per Carton 100

PROD
HGF

PRODUCT CODE:	Nominal Thickness (in)	Weight Per Carton (lbs)	Color Palette
HGRSTP	N/A	4	MILL

### Color Palette H

034 Linen PT 050 Beige PTF

**055** Gray **P**# 060 Carmel PTF 067 Jefferson Tan 🛲

200 Black P77 202 Royal Brown 🕶

204 Grecian Green 🕶 249 Bronze PT+ 250 Musket Brown 🕾 253 Terratone PTF 315 Barn Red 🙉

685 Savannah Wicker 🚧 752 Pebblestone Clay 🕶 902 Cobblestone 🕶

D26 Charcoal Gray PTF TAD Almond 🚧 TMK Musket Brown Pro

TWK 30° White TWL 80° White

### **HANGERS**




## HANGERS & ACCESSSORIES

5" Hidden Hanger

Pieces Per Carton 100

5" Hidden Hanger with Screw

Pieces Per Carton 500



Hidden Hanger 5HHGR, 6HHGR


PRODUCT CODE:  5HHGROOO	Per Carton (lbs)	Palette MILI
PRODUCT CODE:	Weight	Color

6" Hidden Hanger

Pieces Per Carton 100

6" Hidden Hanger with Screw


Pieces Per Carton 300



Hidden Hanger with screw 6SHH

PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
6HHGR000	5	MILL
6SHH000	25	MILL


Touch-up Spray Paint\*



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
D-CAN	9	Н

5" & 6" Gutter Goalie®

Pieces Per Carton	25
Length per piece (ft)	4
Lineal Feet	100



PRODUCT CODE:	Weight Per Carton (lbs)	Color Palette
5SGOALIE	24	<b>199</b> Black
6SGOALIE	26	177 Dlack

### Color Palette H

034 Linen PF **050** Beige *Pt* 

055 Gray PT+ Carmel PTF

067 Jefferson Tan 🙉 200 Black PT+

202 Royal Brown 🚧 204 Grecian Green 🚧

1-1/2"x1"

249 Bronze PT 250 Musket Brown 🚧 253 Terratone PFF

315 Barn Red 🙉 685 Savannah Wicker 🚧 752 Pebblestone Clay PT+

902 Cobblestone 879


D26 Charcoal Gray PF

TAD Almond PF

TMK Musket Brown PF TWK 30° White

TWL 80° White

## DOWNSPOUTS & ELBOWS



Downspout 2"x 3" DS2310

Downspout 3"x 4" DS3410, DS341024



A- Elbow AE23, AE34



B- Elbow BE23, BE34



Ledge Jumper LJ23, LJ34

	PRODUCT CODE:	Normal Thickness (in)	Length Per Piece (ft)	Pieces Per Carton	Lineal Feet	Weight Per Carton (lbs)	Color Palette
Downspout 2" x 3"	DS2310	0.019	10	10	100	25	Н
Downspout 3" x 4"	DS3410	0.019	10	10	100	32	Н
HD Downspout 3" x 4"	DS341024	0.024	10	10	100	41	0
A- Elbow 2"x 3" (75°)	AE23	0.019	-	30	-	7	Н
B- Elbow 2" x 3" (75°)	BE23	0.019	-	30	-	7	Н
A- Elbow 3" x 4" (75°)	AE34	0.019	-	20	-	8	Н
B- Elbow 3" x 4" (75°)	BE34	0.019	-	20	-	8	Н
Ledge Jumper 2" x 3" (30°)	LJ23	0.019	-	50	-	17	Н
Ledge Jumper 3" x 4" (30°)	LJ34	0.019	-	40	-	11	Н

### Color Palette H

Cotor Fatette H

034 Linen ## 204 Grecian Green ##

050 Beige ## 249 Bronze ##

055 Gray ## 250 Musket Brown ##

060 Carmel ## 253 Terratone ##

067Jefferson Tan ##315Barn Red ##200Black ##685Savannah Wicker ##202Royal Brown ##752Pebblestone Clay ##

902 Cobblestone ##
D26 Charcoal Gray ##
TAD Almond ##
TMK Musket Brown ##
TWK 30° White

TWL 80° White

Color Palette 0

034 Linen ## 202 Royal Brown ## 249 Bronze ##

253 Terratone ##
TAD Almond ##

TMK Musket Brown 777
TWK 30° White

TWK 30° White TWL 80° White

# ALSCO® BUILDING PRODUCTS ALUMINUM WARRANTY A LIMITED AND TRANSFERABLE WARRANTY

#### Coverage

Alsco warrants to the original homeowner that Alsco aluminum building products are free from manufacturing defects and when used as intended under conditions of ordinary wear will not peel, chip, crack, split, flake or blister. Alsco warrants for a period of twenty five years from date of installation, that color change in panels used as intended will not vary more than seven color difference units and that chalk erosion for colors will not exceed a numerical rating of six units over the same period of time.\* This warranty does not cover non-uniform color changes resulting from unequal exposure to sunlight.

If a product fails to perform in accordance with the above standards, after written notification and validation of the condition by inspection, Alsco Building Products will repair or replace, at its option, any defective product, assuming 100% of the cost. In the event of repair or replacement under the terms of this warranty, the original warranty terms and duration will remain in effect for the remaining warranty term.

All warranty claims shall be settled between the owner and Alsco. Alsco may direct and pay a contractor to perform any remedial work under this warranty. If any corrective work on or replacement of warranted products is performed by the homeowner or anyone engaged by homeowner prior to receiving written permission to do so from Alsco, such action will void the homeowner's coverage under this warranty.

The liability of Alsco for a claim under this warranty shall in no event exceed the homeowner's original purchase price- including labor and taxes- for the product involved. It shall be the homeowner's obligation to provide documentation or other reasonable evidence of such original costs.

\* Color difference units are determined by Tristimulas Colormetry - A.S.M. D2244 -08. Numerical chalk erosion ratings are determined by standard methods of evaluating degree of chalking - A.S.T.M. D4214-07.

#### **Duration**

- Original Owner: This warranty is in effect for the lifetime
  of the original homeowner so long as such original
  homeowner continues to own the home where Alsco
  products have been installed.
- 2. Second Owner: This warranty can be transferred by the original owner to whom is issued to the next owner of the property. Upon completion of the transfer, the warranty period shall be limited to 50 years from the original date of installation of the Alsco products; provided, however, Alsco and the second owner shall share the cost of repair or replacement of any defective products, including labor and materials. (Please see "Allocation of Warranty Costs When Apolicable")
- 3. Institutional Owner: For an owner such as a corporation, partnership, group, governmental agency, association, or other organization capable of enduring for generations, this warranty is limited to a period of 50 years from the date of original installation of Alsco products.

#### **Warranty Registration**

This warranty is valid only after the registration card has been completed by the Alsco building products dealer, signed by the original owner and mailed to Alsco within 30 days after installation has been completed. Failure to register within the 30 day period set forth above will not void the warranty, but registration will confirm the date of purchase and will assist Alsco in processing any warranty claim that might arise in the future. This confirmation is a benefit to the homeowner in case original proof of purchase cannot be found.

#### **Exclusions and Limitations**

This warranty does not cover damage resulting from any of the following: faulty installation (including but not limited to waving and/or buckling caused by improper installation); "oil canning" (perceived waviness in the flat areas of metal siding panels); fire, lightning, hurricane, hail storm, wind storm, earthquake or other acts of God; accidental damage or vandalism; impact of foreign objects; structural shrinkage or distortion; lap abrasion; harmful chemicals, pesticides, fumes or vapors; direct contact with and water run-off from dissimilar metals or other materials (e.g., metals such as copper, zinc and steel, or other materials such as concrete, blacktop, stucco, asbestos siding, pressure treated or pre-treated lumber, roofing materials or roofing systems containing metallic granules or strips, or other corrosive non-metallic materials); damage resulting from painting, varnishing, coating or otherwise altering the surface of the products except in strict accordance with Alson's instructions or guidelines; distortion or warping caused by excessive heat sources such as window reflection, skylights, outdoor grills and other items which can cause products to distort or change color due to excessive heat buildup; surface deterioration due to air pollution and airborne stains; misuse or abuse; normal weathering; acid rain; salt spray directly applied or in the atmosphere; mildew accumulation; owner's failure to provide normal cleaning and maintenance of the product (please see care and maintenance instructions); and/or other causes beyond the control of Alsco.

This is the homeowner's exclusive warranty and is in lieu of all other warranties, express or implied, except as may be required by applicable law. Without limiting the generality of the foregoing, Alsco shall not be liable for any breach of any other written or oral warranties given to the homeowner by any third party(ies) such as those (if any) given to the homeowner by dealers, contractors, applicators or distributors of the products.

ALSCO IS NOT LIABLE FOR INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES FOR THE PRODUCTS COVERED BY THIS WARRANTY. REPAIR OR REPLACEMENT IS THE EXCLUSIVE REMEDY AVAILABLE UNDER THIS WARRANTY.

Alsco reserves the right to discontinue or make changes in any of its products. If the products covered by this warranty are not available, Alsco has the right to substitute a product of equal or greater quality or value.

Alsco does not hereby undertake to repair or replace non-defective Alsco products. Rather, Alsco may elect to repair or replace only the particular portion(s) of such Alsco products that is/are defective and/or excessively faded (as per the terms of this warranty) and we cannot and do not guarantee an exact color match with regard to the replacement product(s) as compared to the adjacent non-replaced products. Color variance may occur between replacement products in comparison with the original products due to normal weathering and aging of the original products, and this is not indicative of a defect in either the replacement products or the original products.

This warranty gives you specific legal rights; you may also have other rights which may vary from state to state. Pertinent state law shall also control for what period of time following the sale a homeowner/consumer may seek a remedy under the implied warranty of merchantalility or fitness for a particular purpose. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

#### Claims Procedure

A claim under this warranty must be presented in writing within 30 days following the discovery of any warranted defects to Alsco Building Products, 800 Chase Ave., Elk Grove Village, Illinois 60007 Attention: Warranty Service Department.

The claim should be accompanied by a copy of this warranty certificate, and a description of the defect.

Corrective work on warranted products may not be started prior to receiving permission to do so from Alsco.

Ultimate determination of the existence and extent of any claimed manufacturing defect hereunder shall be made by Alsco in its sole discretion. As noted above, corrective work on warranted products may not be started prior to receiving permission to do so from Alsco, and Alsco reserves the right to perform such corrective work itself or through others retained by it. Homeowner shall cooperate with Alsco and its contractors in connection with the scheduling and performance of any corrective or replacement work hereunder.

In the case of second and institutional owners, after five years of the warranty period have elapsed, a claim under this warranty must be accompanied by a \$50 payment to Alsco. Checks should be made payable to Alsco Building Products and mailed to the above address.

#### **Warranty Transfer**

This warranty may be transferred from the original owner to whom it was issued to the next owner of the property provided Alsco receives written notice within 30 days of the date of the transfer. Notice must include the original owner's name as shown on the warranty certificate, the name of the new owner, the warranty certificate registration number and the date Alsco products were installed on the property.

Upon transfer of the property, the warranty period shall be limited to 50 years from the date of installation. Alsco and the new owner shall share in the cost of repair or replacement of any defective product, including labor and materials as described below.

#### **Allocation of Warranty Cost When Applicable**

For second and institutional owners the cost, including labor and materials, to repair or replace defective products shall be allocated between the owner and Alsco according to the following schedule: Alsco will assume 100% of such costs for validated claims made during the first five years of the warranty period. During the sixth year, Alsco's share of such costs will be 90%, and the homeowner's share will be 10%. Each year thereafter, through the thirteenth year, Alsco's share of such costs will cumulatively decrease from 90% by 10% per year. Starting with the fourteenth year of the warranty period, and for the balance of the warranty period, Alsco's share will be 10% and the owner's share will be 90% of such costs.

Effective only for Alsco aluminum products purchased in or after April, 2015



## SPECIFICATIONS //



### TRIM COIL

#### MATERIAL

- A. All ALSCO® trim coil shall be made of an ALSCO 3105-type aluminum sheet with a minimum tensile strength of 29,000 psi, or equivalent, as referenced in Architectural Aluminum Manufacturers Association specification AAMA 1482-86 (paragraph 3.2.3). The metal shall be treated on both sides with a nonchromate chemical conversion coating to ensure excellent paint adhesion and resistance to corrosion.
- B. ALSCO trim coil products are all packaged with one roll per carton. All 24" coils shall be packaged with 32 rolls/skid.

Coil shall be of the following widths, lengths and thicknesses:

Product	Width	Length/Roll	Nominal Thickness
C14	14"	50 feet	0.019"
C24	24"	50 feet	0.019"
C24PVC	24"	50 feet	0.019"
CTP24	24"	50 feet	0.019"
T24	24"	50 feet	0.019"
T24PVC	24"	50 feet	0.019"

C. ALSCO aluminum trim coil is available in a wide array of colors to match all ALSCO fabricated products. Please refer to product literature for color availability. The standard thickness tolerance for products made from aluminum sheet material shall be +0.000", -0.003".

#### **APPLICATION**

ALSCO aluminum trim coil is designed for residential and light commercial applications. Trim coil can be field formed to provide lowmaintenance coverings for exterior trim surfaces such as window and door casings, window sills, drip caps, fascias, porch posts, louvers, flashings, etc. Trim sheet shall be attached with color-matched screws, stainless steel or aluminum trim nails.

#### APPLICATION CONSIDERATIONS

Direct contact of aluminum products with certain dissimilar materials or contact with the water run-off from such materials is likely to result in corrosion, which is not covered by the Warranty. Therefore, care should be exercised to avoid contact of aluminum with any corrosive materials during installation, including, but not limited to: pretreated lumber, concrete, masonry cement, stucco, fiber cement products, salt, corrosive chemicals, dissimilar metals (copper, zinc, steel, etc.), and roofing systems made with metallic granules of such dissimilar metals.

### DYMALAR® 2000

ALSCO® Dymalar® 2000 finish is a proprietary resin system available in a wide variety of colors and specifically formulated for residential aluminum product applications. The system is designed for compatibility with industry-accepted pre-treatment systems. This baked-on finish offers exceptional forming flexibility, cleanability, stain and mar resistance in exterior applications.

### **Physical Properties**

Flexibility 1T NC/NTO Pencil Hardness HB-2H

Reverse Impact 1.5X Metal Thickness, NTO

Solvent Resistance 100+ D-MEK Dry Film Thickness 0.6 - 0.8 mils avg.

8 - 10° Gloss

Weathering

5% Salt Spray (Al) No creep over 1/32" from scribe,

ASTM B117, 1,000 HR

No significant visual change after 100% Humidity

1,000 HR per ASTM D2247-87

QUV No visible loss of film integrity and no

> chalking greater than #8 after 500 HR, as measured by ASTM D4214-89



## SPECIFICATIONS //

### **PVC**

ALSCO® PVC finish is a roll-applied, plasticized polyvinyl chloride (plastisol) two-coat system available in a wide variety of colors. Like our Dymalar® 2000 finish, it is engineered specifically for exterior applications and designed for outstanding resistance to weathering, abrasion, pollution, corrosion and other harmful airborne contaminants.

### **Physical Properties**

Film Thickness 3.2-3.7 mils standard

Pencil Hardness 2B-HB Flexibility 0-T

Solvent Resistance 50-100 D-MEK
Dry Film Thickness 3.5 mils avg.

### Weathering

5% Salt Spray (Al) No creep over 1/32" from scribe,

ASTM B117, 1,000 HR

100% Humidity No visual change after 1,000 HR

per ASTM D2247-87

QUV No visible loss of film integrity and no

chalking greater than #8 after 500 HR, as

measured by ASTM D4214-89

Abrasion (3.5 mils DFT) Pass 200 Liters falling sand,

ASTM D968

Flame Resistance Self extinguishing, ASTM D568

### **DURATEX™ TRIM COIL**

DuraTex<sup>™</sup> trim coil is coated on both sides with a high performance, roll-applied, mar-resistant, low-gloss textured polyester. The top surface is available in a wide array of color options and the reverse side is coated with G280 DuraTex 280 White. All coatings conform to the standard commercial coating specifications, as referenced in AAMA specifications 1482-86 (paragraph 3.2.4).

### **Physical Properties**

Gloss  $17-25 @ 60^{\circ}$ Flexibility 1-2T NTPPencil Hardness F-2H

Reverse Impact 1.5 X Metal thickness in inch/lbs NTPO

Solvent Resistance 100+ Dbl. MEK
Dry Film Thickness 0.70 - 0.80 mils .

#### Weathering

Salt Spray Resistance Single coat aluminum, no field blistering, 5% Salt Fog @ 95F no more than 1/32" creep from the scribe

after 1000 hours exposure

Humidity Resistance Single coat aluminum, no blistering or loss 100F & 100% Humidity of adhesion after 1000 hours exposure

#### **APPLICATION**

DuraTex tough low gloss, lightly textured finish makes it the perfect choice for demanding applications. ALSCO DuraTex Aluminum Trim Coil is designed for residential and light commercial applications. Trim coil can be field-formed to provide low-maintenance coverings for exterior trim surfaces such as window and door casings, window sills, drip caps, fascias, porch posts, louvers, flashings, etc. Trim sheet shall be attached with color-matched stainless steel or aluminum painted trim nails.



## SPECIFICATIONS //

### **ALUMINUM SOFFIT**

ALSCO® soffit and fascia products meet or exceed requirements set forth in AAMA Voluntary Specifications Report Number 1402-86. All stated metal thicknesses are nominal. The standard thickness tolerance for products made from aluminum sheet shall be +0.000", -0.003".

### **TECHNICAL**

Alloy or equivalent 3105 type

Specific Gravity 2.73 gr/cm3

Density 0.098 lb/in3

Minimum Ultimate Tensile Strength 28,000 psi

Minimum Ultimate Yield Strength 24,000 psi

Minimum Elongation 3%

Modulus of Elasticity 10,000,000 psi

Coefficient of Thermal Expansion (Linear) 13.1 u-in/in/°F

Melting Range 1190-1210°F

Thermal Conductivity at 77°F 1190 BTU-in/ft2-hr-°F

Hardness (Rockwell 15T) 63-70

# APPLICATION CONSIDERATIONS

Direct contact of aluminum product(s) with certain dissimilar materials or contact with the water run-off from such materials is likely to result in corrosion, which is not covered by the warranty. Therefore, care should be exercised to avoid contact of aluminum with any corrosive materials during installation, including, but not limited to: pretreated lumber, concrete, masonry cement, stucco, fiber cement products, salt, corrosive chemicals, dissimilar metals (copper, zinc, steel, etc.) and roofing systems made with metallic granules of such dissimilar metals.

### RAIN CARRYING PRODUCT

#### MATERIAL

- ALSCO gutter coil shall be made from a 3105-type alloy aluminum with a minimum tensile strength of 24,000 psi.
- ALSCO rain carrying system products are designed for use in residential and light commercial applications.
- ALSCO gutter coil shall be made available in two thicknesses: nominal 0.027" and nominal 0.032". The coil is available in widths that can be used to produce both 5-inch and 6-inch K-style gutters on all popular forming equipment. The standard thickness tolerance for products made from aluminum sheet material shall be +0.000", -0.003".
- ALSCO standard 2"x 3" and 3"x 4" downspout and type A and B elbows shall be available in nominal 0.019" thickness. Heavy Duty 3"x 4" downspouts in nominal 0.024" thickness shall also be available.
- Other gutter accessories shall be readily available including inside and outside box and strip miters, left and right end caps, hangers, drop outlets and fasteners.
- Prior to factory painting, the metal shall receive a special cleaning process to assure maximum paint adhesion. The inside of all gutters, downspouts and elbows shall be coated with a special corrosion inhibiting pretreatment and a protective polyester coating. The exteriors will be coated in a two-phase operation that includes a corrosion-inhibiting pretreatment and ALSCO's high performance Gutter-Tuff® coating system, designed specifically for on-site forming of seamless gutters.
- All accessories used with ALSCO rain carrying system products shall be ALSCO accessories designed for use with ALSCO materials, and shall have the same Gutter-Tuff coating to ensure that the warranty covering the rain carrying products and accessories is applicable to both.

#### CERTIFICATE OF CONFORMANCE

ALSCO gutters, downspouts and accessories shall meet or exceed the following specifications:


- Architectural Aluminum Manufacturers Association (AAMA)
   Specification 1405.1: Specifications for Aluminum Gutters and Downspouts.
- HUD Minimum Property Standard 4900.1 for One and Two Family Dwellings.
- HUD Minimum Property Standard 4910.1 For Multi-Family Dwellings.



### PROPER SOFFIT VENTILATION

Properly installed soffit allows air to flow naturally. Moisture can collect under roof structures and on rafters causing rotting and decaying. ALSCO® aluminum soffit is engineered so that air circulates properly to help eliminate moisture problems.

ALSCO® soffit panels are designed to provide optimal airflow. Following building codes while installing a proper ventilation system is critical to the structural performance of your house. The International Code Council (ICC) has provided general guidelines for determining proper ventilation for the home. The 1/300 and 1/150 ratios are for calculating ventilation requirements. Be sure to follow all applicable, local building codes.



ICC guidelines recommends that the free area of ventilation (in square inches) needed is the number at which the two columns intersect. The sum of the free area of all ceilings equal the total free area required. The total square feet of an attic space divided by 300 = the total net free area required for appropriate ventilation.

Attics without vapor barriers must use the 1/150 ratio. Keep in mind that some climates or locations demand more net free area to prevent ice dams in cold climates and mold and mildew in hotter climates.

			CEILING WIDTH (FT.)													
		20	22	24	26	28	30	32	34	36	40	42	44	46	48	58
	20	192	211	230	250	269	288	307	326	346	384	403	422	441	46	480
	22	211	232	253	275	296	317	338	359	380	422	444	465	485	506	528
	24	230	253	276	300	323	346	369	392	415	461	484	507	530	553	576
	26	250	275	300	324	349	374	399	424	449	499	524	549	574	599	624
	28	269	296	323	349	376	403	430	457	484	538	564	591	618	645	662
	30	288	317	346	374	403	432	461	490	518	576	605	634	662	691	720
	32	307	338	369	399	430	461	492	522	553	614	645	675	706	737	768
CEILING LENGTH	34	326	359	392	424	457	490	522	555	588	653	685	717	750	782	815
(FT.)	36	346	380	415	449	484	518	553	588	622	691	726	760	795	829	864
	38	365	401	438	474	511	547	584	620	657	730	766	803	839	876	912
	40	384	422	461	499	538	576	614	653	691	768	806	845	883	922	960
	42	403	444	484	524	564	605	645	685	726	806	847	887	927	968	1008
	44	422	465	507	549	591	634	676	718	760	845	887	929	971	1013	1056
	46	442	486	530	574	618	662	707	751	795	883	927	972	1016	1060	1104
	48	461	507	553	599	645	691	737	783	829	922	968	1014	1060	1106	1152
	50	480	528	576	624	672	720	768	816	864	960	1008	1056	1104	1152	1200

Free area chart utilizes 1/300 ration. Double the values to obtain 1/150 ratio.



### **ESTIMATING**

## GUTTER COIL RATIO TO ACCESSORIES

The following calculations are to be use as a general guideline for estimating purposes. Given the variability of tolerance and drift in mill specifications, these figures may vary.

### **EXAMPLE:**

A 350 lbs. coil of 0.027 x 11.75 is 350 lbs. x 2.74 = 959 ft.

Gauge	Multiply	Size	Equals	Ft/Lb	Calculation	
0.027		11.75		2.74	(1/.365)	
	X	11.875	=	2.688	(1/.372)	
		15		2.127	(1/.47)	
0.032		11.75		2.315	(1/.432)	
	X	11.875	=	2.283	(1/.438)	
		15		1.785	(1/.56)	

### CONVERSION RATIO OF GUTTER COIL TO GUTTER ACCCESSORIES

(based on an average gutter run of 40 ft. )

Downspout	1 ft. of downspout for every ft. of gutter coil
End Caps	2 end caps (left and right) per 40 ft.
Outside Miter	1 outside miter per 40 ft.
Inside Miter	1 inside miter for every 120 ft. of gutter
Outlet Tube	1 outlet per 40 ft.
Elbows	30 80° A and 20 80° elbows for 100 ft. of downspout
Pipe Band	20 pipe bands per box of downspouts

These calculations are for information purposes only. All material quantities and weights should be verified when placing your order. UPDATED 7/19



## PRODUCT MATRIX

PRODUCTS	Page No.		PRODUC CODE:			rmal iess (in)	Pieces Cart		Lengt Per Piece		Weight Per Carton (lbs		Snowmist	280	White
Aluminum Siding & Sill Trim															
8" Woodgrain Siding	D9		J-8H	T	0.0	019	2/	4	12'6	"	64		•		•
8" Smooth Siding	D9	J-	8HSC	119	0.0	019	2/	4	12'6	"	64		•		•
Aluminum Siding Accessories															
3/4" J Channel	D10		E-E1:	2		_	25	5	12		16		•		•
1-1/8" J Channel	D10		E-E1	8		_	25	5	12		21		•		•
1" Woodgrain Outside Corner Post	D10	Е	-OCP	1T		_	10	0	10		24		•		•
1" Smooth Outside Corner Post	D10	E	-OCF	21		_	10	0	10		24		•		•
Undersill Molding	D10		E-USI	M		-	25	5	12		18		•		•
Individual Outside Corner - Smooth	D10		E-IC			_	10	0	8"		8		•		•
Individual Outside Corner - Woodgrain	D10		E-IC	Γ		-	10	0	8"		8		•		•
PRODUCTS  Meridian Vinyl Siding	Page No.	(17) Stone	(33) Cobblestone	(067) Jefferson Tan 🗪	(174) Storm Gray	(253) Terratone	(255) Cypress	(280) White <b>77</b>	(374) Keystone	(509) Country Beige	(680) Hampton Blue	(689) Timber Blend	(692) Richmond Red	(714) Sierra	(767) Twilight
VJ-V040D45DL			•					•						•	
VJ-V042D4, VJ-V042D45DL	D3	•	•	•	•		•	•	•	•		•		•	•
VJ-V044D4		•	•	•	•	•	•	•	•	•	•	•	•	•	•
VJ-V044D5	D4	•	•	•				•	•	•				•	•
Meridian Vinyl Siding Accessories															
				•	•	•	•	•	•	•	•	•	•	•	•
VE-V5/8J, VE-V11/8J, V-VUSM, VE-VDUSM, VE-VICP, VE-V40CP	<b>D5</b>	•	•												
	<b>D5</b>	•	•												
VE-VICP, VE-V40CP  Meridian Vinyl Soffit		•						•							
VE-VICP, VE-V40CP	D5 D6	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VE-VICP, VE-V40CP  Meridian Vinyl Soffit  VA-V10.038SS, VA-V10.040SS			•		•	•	•	•	•	•	•	•	•	•	•



## PRODUCT MATRIX

PRODUCTS Paradigm Steel Siding	Page No.	(R01) White Dove	(RO2) Warm Taupe	(RO3) Boothbay Blue	(R90) Deep Ocean	(R91) Timber	(R92) Sand Dune	(90R) Granite Grey	(91R) Bronze	(92R) Iron Grey	(93R) Ember Grey	(94R) Antique Alomnd	(95R) Chocolate Brown	(96R) Royal Brown	(97R) Cobble Stone	(98R) Mountain Sage	(99R) Willow
S-SD4HTR, S-SD5HTR	D15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
S-SD5DLHTR, S-S6HTMR	D15	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

### **Paradigm Steel Siding Accessories**

S-S8HTMR

S-SVTR

S-SE12R, S-E18R, S-SUSR S-SOCP1TR, S-SBS247TR + S-SCPB	D17	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
---	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

D16



PRODUCTS	Page No.	(034) Linen 🕶	(050) Beige 死	(055) Gray 🗪	(60) Carmel <i>m</i>	(067) Jefferson Tan 死	(200) Black PTF	(202) Royal Brown PTF	(204) Grecian Green 死	(249) Bronze PT
Trim Coil										
C14, C24H										
C24	B4	•	•	•	•	•	•	•	•	•
CTP24 (DuraTex™)	D4									
T24, T24PVC (Color Select™)										
Double Six Soffit Profiles										
ASVP12, ALVP12	00	•	•	•	•	•	•	•	•	•
AVBS12, AVBL12	C3							•		
Double Six Perforated Soffit Profiles										
APERFD6	C3	•	•	•	•	•	•	•	•	•
Triple 4" Soffit Profiles										
T4S12, T4CV12, T4V12	0/	•	•	•	•	•	•	•	•	•
VBT4S12, VBT4CV12, VBT4V12	<u>C4</u>	•	•				•			•
Quad Four Soffit Profiles										
Q4S16, Q4CV16, Q4V16	C5	•	•	•	•	•	•	•	•	•
ECNQV16	C6									
A-HV16	C6	•	•	•	•	•	•	•	•	•
Smooth & Woodgrain Fascia										
BASL4, BASL4WG, BASL6, BASL6WG, BASL8, BASL8WG, BASL10, BASL10WG	<b>C7</b>	•	•	•	•	•	•	•	•	•
BASL6019, BASL6019WG	<b>C7</b>						•	•		•
BASL8019, BASL8019WG	<b>C7</b>						•			
Soffit Accessory Profiles										
BWFJ38, BFR38, AWFJ12, AFR119, RDCR19	00	•	•	•	•	•	•	•	•	•
AWFJ34	C8									



(253) Terratone Pra	(280) White <i>m</i> . (315) Barn Red <i>m</i> .	(685) Savannah Wicker 👨 (752) Pebblestone Clay 🕶	(902) Cobblestone <i>m</i> (D26) Charcoal Gray <i>m</i>	(TAD) Almond 死	(TMK) Musket Brown 死
---------------------	---	--	--	----------------	----------------------


	•							
•	•	•	•	•	•	•	•	•


•	•	•	•	•	•	•	•	•
	•							

•	•	•	•	•	•	•	•	•

•	•	•	•	•	•	•	•	•
	•			•	•	•	•	•

•	•	•	•	•	•	•	•	•
	•							
•	•	•	•	•	•	•	•	•







PRODUCTS		Page No.	(034) Linen <i>m</i>	(050) Beige 🛲	(055) Gray <i>en</i>	(60) Carmel <i>m</i>	(067) Jefferson Tan 🗪	(200) Black m
Over Hang	ing Drip Edge							
F DRIP 4.5"	D-ODESL, D-ODESL50, RRM1	E2	•	•	•	•	•	•
F DKIP 4.3	D-ODESLT, BRM1, EVD4.5	EZ						•
	RRM18, 1.50DET4410,	E3	•	•	•	•	•	•
F DRIP 5"	BRM114, 1.50DET4412	EJ						•
ר שאור ז	BRM112, ODE112, D-ODE, 1.750DET4410	Γ/	•	•	•	•	•	•
	D-ODE10, 1.750DET4412	<b>E4</b>						•
	SBRDE1.5	E5	•	•	•	•	•	•
	BODE15	E5	•	•	•	•	•	•
F DRIP 5.5"	ODEXTL, BRM134	E5						•
	RRM5.50P, BRM5.50P	E6	•	•	•	•	•	•
F DRIP 6"	RRM22	E6	•	•	•	•	•	•
F DRIP 8"	RRMF8	E6	•	•	•	•	•	•
C DDID OII	RRM3	F7						•
C DRIP 3"	BRM3	E7						•
C DRIP 3.5"	RRM3.5	E7	•	•	•	•	•	•
C DRIP 4"	RRM4	E7	•	•	•	•	•	•
C DRIP 4.5"	RRM45	E7						•
C DRIP 5"	RRM5	E8						•
C DRIP 6"	RRM6, RRM6H	E8						•
F EAVE EDGE 3	" S3X3EDH, 3X3ED	E6	•	•	•	•	•	•
Steel "G"	Drip Edge							
S-S3X3G6, S-	-S4X2G6	E8						•
Drip Cap								
E-DC1, E-DC1	1/8, E-DC11/2, RADC15	<b>E9</b>	•	•	•	•	•	•



(202) Royal Brown 🗪	(204) Grecian Green 🗪	(249) Bronze <i>m</i>	(253) Terratone 死	(280) White 🛲	(315) Barn Red 死	(685) Savannah Wicker 🗪	(752) Pebblestone Clay 死	(902) Cobblestone 死	(D26) Charcoal Gray 死	(TAD) Almond 死	(TMK) Musket Brown 🗪
		_			_	_	_		_	_	_
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
				•							
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•				•							
•				•							
•				•							
•	•	•	•	•	•	•	•	•	•	•	•
						1	1				
•				•							
•	•	•	•	•	•	•	•	•	•	•	•

PRODUCTS	Page No.	(034) Linen 死	(050) Beige m	(055) Gray <i>m</i>	(60) Carmel <i>m</i>	(067) Jefferson Tan 死	(200) Black ma
Roof Flashing Profiles							
E-3/8Z	E10						•
E-RTW	E10						•
GS3, GS4	E10						
ADF112, ADF158	E11						•
K-BL	E11						•
K-BS208	E11	•	•	•	•	•	•
RRM35, C35	E12						•
RRM40, RRM50, RRM60	E12	•					•
S-SD0RMF10	E13						
CNTRFLSH, S-SCNTRFLSH, HWALL024, S-SHWALL	E13						•
4X4EXTL, 4X4EXTLH	E13						
WTRAY024, S-SWTRAY	E14						•
5X7AFS, 8X8AFS, 6X12AFS, 2.5X2.5X7ASF, 4X4X8ASF, S2.5X2.5X7GSF	E15						•
S5X7GFS, S8X8GFS, S6X12GFS, S4X4X8GSF	E15						
W Valley							
\$14X10WV, \$14X10WVH, \$18X10WV, \$18X10WVH, \$20X10WV, \$20X10WVH, \$22X10WV, \$22X10WVH, \$24X10WV, \$24X10WVH	E15						•
Roll Valley							
10X50RV, 10X25RV, 14X50RV, 14X25RV, 18X50RV, 18X25RV, 20X50RV, 20X25RV, 24X50RV, 24X25RV	E16						
S6X50RV, S8X50RV, S10X50RV, S10X25RV, S12X50RV, S14X50RV, S16X50RV, S18X50RV, S20X50RV, SB20X50RV, S24X50RV, SB24X50RV, S28X50RV, S30X50RV, S36X50RV	E16						



	¢					# 10	1y 1974	. NL	<i>m</i>		#	
Srown 死	n Green A	##	me <i>m</i>	#	led ma	ıah Wicke	stone Cla	stone 死	oal Gray	## [	t Brown	ized
(202) Royal Brown 死	(204) Grecian Green 死	(249) Bronze 死	(253) Terratone 死	(280) White PT	(315) Barn Red <table-cell-rows></table-cell-rows>	(685) Savannah Wicker <table-cell-rows></table-cell-rows>	(752) Pebblestone Clay <table-cell-rows></table-cell-rows>	(902) Cobblestone 死	(D26) Charcoal Gray 🕫	(TAD) Almond 死	(TMK) Musket Brown <table-cell-rows></table-cell-rows>	Mill / Galvanized
(20;	(20	(24)	(25;	(281	(31)	189)	(75)	(9 0)	(D2	(TAI	ML)	Mil
•			•	•							•	
•			•	•								
•			•	•			•				•	
•			•				•				•	
•	•	•	•	•	•	•	•	•	•	•	•	
				•								
•			•	•			•		•	•	•	
												•
				•								
												•
•			•	•								
•			•	•								
												•
•			•	•								
												•

PRODUCTS	Page No.	(034) Linen <i>Pra</i>	(050) Beige 774	(055) Gray PTF	(60) Carmel <i>m</i>	(067) Jefferson Tan 死	(199) Black	(200) Black 🗪	(202) Royal Brown PT+	(204) Grecian Green 🕶
5" Miters										
5INM, 50TM, 5ISM, 50SM	F2	•	•	•	•	•		•	•	•
5BIS, 5BOS	FZ								•	
6" Miters										
6INM, 60TM, 6ISM, 60SM	Го	•	•	•	•	•		•	•	•
6BIS, 6BOS	F2								•	
End Caps	·									
5ENL, 5ENR, 6ENL, 6ENR, PB23	F0	•	•	•	•	•		•	•	•
OUT23000, OUT34000, OVAL34000, HGRSTP	F3									
Hangers & Accessories										
5HHGR000 5" Hidden Hanger										
6HHGR000 6" Hidden Hanger	F./									
6SHH000 6" Hidden Hanger with Screw	F4									
D-CAN Touch-up Spray Paint		•	•	•	•	•		•	•	•
Gutter Protection	·									
5SGOALIE, 6SGOALIE	F4						•			
Daymanayta										
Downspouts Pool 110										
DS2310, DS3410		•	•	•	•	•		•	•	•
DS341024		•							•	
Elbows/Ledge Jumpers										
AE23, BE23, AE34, BE34, LJ23, LJ34	F5	•	•	•	•	•		•	•	•



(249) Bronze <i>m</i>	(253) Terratone M7	(280) White M	(315) Barn Red 死	(685) Savannah Wicker 死	(752) Pebblestone Clay <table-cell-rows></table-cell-rows>	(902) Cobblestone 777	(D26) Charcoal Gray 🗝	(TAD) Almond 🗪	(TMK) Musket Brown 死	Mill	(TWK) 30° White	(TWL) 80° White
•	•		•	•	•		•	•	•		•	•
											•	•
•	•		•	•	•	•	•	•	•		•	•
											•	•
•	•		•	•	•	•	•	•	•		•	•
										•		
										•		
										•		
										•		
•	•			•	•	•	•	•	•		•	•
•	•		•	•	•	•	•	•	•		•	•
•	•							•	•		•	•
	•		•	•	•	•	•	•	•		•	•

NOTES			



TRIM COIL | SOFFIT | FASCIA | SIDING | ROOF EDGES



www.alscometals.com • 800.521.2930 • ALSCO METALS

800 Chase Avenue, Elk Grove Village, IL 60007